



BLUECHIP

Fibre Cement



Product Catalogue



www.bluechipgroup.net.au



FIBRE CEMENT



4

VITRAFINISH

Prefinished Fibre
Cement Panel



8

CEMENTEX

Raw Fibre Cement Panel



10

DURACOM

Fibre Cement Facade Panel



12

DURAGRID

Express Fibre
Cement Cladding



14

DURAGROOVE

Grooved Fibre
Cement Panel



16

STRATUM

Fibre Cement Weatherboard

FIBRE CEMENT

1.

VITRAFINISH

VITRAFINISH prefinished fibre cement is a 9mm prefinished CFC fibre cement facade panel which is prefinished with a highly durable factory applied 2-pack fluoropolymer paint system in unlimited colours and installed to a steel framing system with colour matched screws or rivets. It can be supplied cut-to-size and offers all the benefits of the raw fibre cement board such as impact resistance and non-combustibility. VITRAFINISH prefinished fibre cement is proudly manufactured in Australia and provides building owners with outstanding life-cycle cost savings and a 15 year coating warranty.

READ MORE ON PAGE 4

2.

CEMENTEX

CEMENTEX raw fibre cement is an express joint 9mm fibre cement facade panel which offers superior strength and impact resistance to standard CFC. Ideally suited for all high performance commercial facade cladding and lining applications CEMENTEX raw fibre cement is hydro-sealed for increased moisture protection prior to finishing and it is easily installed with countersunk screws using best practice installation methods.

READ MORE ON PAGE 8

3.

DURACOM

DURACOM is an express joint 9mm fibre cement facade panel (CFC cladding) which offers superior strength and impact resistance. Ideally suited for all high performance commercial facade cladding and lining applications DURACOM CFC cladding is easily installed to a steel framing system with countersunk screws using best practice CFC installation methods. Offering infinite different panel layouts and colour palettes it is finished onsite after installation with a high quality exterior paint or texture coating.

READ MORE ON PAGE 10

3.



1.



4.

DURAGRID

DURAGRID express fibre cement cladding is similar in design and application to other express type fibre cement products with the added benefit of being manufactured by one of the worlds most experienced fibre cement companies meaning it can offer better value without any compromise. Offering a smooth surface with square edge finish for express joints, DURAGRID fibre cement cladding enables easy installation and easy finishing onsite for a clean modern finish.

READ MORE ON PAGE 12

5.

DURAGROOVE

DURAGROOVE fibre cement panel offers a modern external finish cladding with sleek grooves to immitate the look of shiplap cladding. It is a surprisingly adaptable panel which is available in different profiles and spacings and it has a shiplap joint type for fast and easy installation. DURAGROOVE fibre cement panel is suitable for single storey and medium height projects and comes in three variants: smooth narrow 100mm, smooth wide 150mm and smooth extra wide 400mm.

READ MORE ON PAGE 14

6.

STRATUM

STRATUM fibre cement weatherboard is an innovative alternative to the traditional weatherboards we are all know so well. STRATUM fibre cement weatherboard is a surprisingly adaptable plank type product that is available in a number of different profiles called for you to choose from, or you can even create your own unique look by mixing all three profiles together on your project. STRATUM fibre cement weatherboard offers a durable, attractive cladding solution which is non-combustible for use in fire risk areas and it can be painted any colour and is easy to install for brilliant all round outcomes.

READ MORE ON PAGE 16



2. 4.



5. 6.



VITRAFINISH

Prefinished Fibre Cement Panel

DESCRIPTION

VITRAFINISH prefinished fibre cement is a 9mm prefinished CFC fibre cement facade panel which is prefinished with a highly durable factory applied 2-pack fluoropolymer paint system in unlimited colours and installed to a steel framing system with colour matched screws or rivets. It can be supplied cut-to-size and offers all the benefits of the raw fibre cement board such as impact resistance and non-combustibility. VITRAFINISH prefinished fibre cement is proudly manufactured in Australia and provides building owners with outstanding life-cycle cost savings and a 15 year coating warranty.

PRODUCT BENEFITS



V700 FLUOROPOLYMER

The VITRAFINISH prefinished fibre cement coating has a unique thermosetting factory finish that withstands long-term exposure to extreme climate conditions providing lifetime resilience.



UNLIMITED CUSTOM COLOURS

Along with our huge range of standard colours, VITRAFINISH prefinished fibre cement can be supplied in any custom colour that suits your project. The limit is your imagination.



ACOUSTIC RATED

VITRAFINISH prefinished fibre cement has high acoustic ratings which enhances sound proofing for buildings such as airports, public train stations, schools, universities and hospitals.



15 YEAR WARRANTY

VITRAFINISH prefinished fibre cement is so confident in the superior quality of its paint system it offers a 15 year coating warranty for peace of mind and guaranteed quality.



GRAFFITI RESISTANT

VITRAFINISH prefinished fibre cement is graffiti and chemical resistant allowing quick and easy removal without harming the coating. An ideal solution for educational and public area buildings.



PROVEN PERFORMANCE

The coating system used on VITRAFINISH prefinished fibre cement has been used on facades through-out Australia and the world for decades. Specify VITRAFINISH with 100% confidence.



CUT TO SIZE

VITRAFINISH prefinished fibre cement is supplied cut to size for fast installation once onsite. All edges receive the same high quality coating as the surface receives.



NON-COMBUSTIBLE

VITRAFINISH prefinished fibre cement is a non-combustible facade material that can be used internally or externally wherever a non-combustible material is required in accordance with BCA section C1.12.



SIZES & KEY DATA TABLE

Product Range

DESCRIPTION	SHEET SIZES	AVAILABILITY	MOQ
VITRAFINISH Standard Sizes	1800, 2400, 3000 x 900mm 1800, 2400, 2700, 3000 x 1200mm	3-5 Weeks	1 Sheet
VITRAFINISH Custom Shapes & Sizes	Up to 3000 x 1200mm	4-6 Weeks	1 Sheet

Accessories

CODE	DESCRIPTION	AVAILABILITY	MOQ
SG1203560	STUDTEK 120 x 35mm Joint Top-hat, 6.0m	Stock	1 Length
SG503560	STUDTEK 50 x 35mm Intermediate Top-hat, 6.0m	Stock	1 Length
SZA757560	STUDTEK 75 x 75mm Zincolume Angle, 6.0m	Stock	1 Length
SJS359	STUDTEK 67 x 3.5mm Black Backing Strip, 3.59m	Stock	1 Length
SJS299	STUDTEK 67 x 3.5mm Black Backing Strip, 2.99m	Stock	1 Length
TFG4032	STUDTEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll
VFWFR30	VITRAFINISH 30mm x 10g Wafer Screw, 1000 Pack	3-5 Weeks	1 Pack
VFFW	VITRAFINISH 8mm Nylon Facade Washer, 1000 Pack	Stock	1 Pack




VITRAFINISH

Colour Chart

Black, Grey & White




Neon



Yellow



Red



Blue



VF0706
Glacier Blue

VF0703
Dove Blue

VF0712
Steel Blue

VF0717
Atlantic

VF0237
Gentian Blue

VF0702
Night Blue

Green



VF0725
Yellowish Green

VF0623
Green

VF0059
Dark Green

VF0592
Kiwi Green

VF0663
Reseda Green

VF0662
Jade Green



VF0591
Fir Green

VF0611
Pale Olive

VF0612
Olive

VF0056
Atlantis

VF0617
Petrol Green

VF0631
Turquoise

Brown



VF0645
Tobacco

VF0657
Sepia Brown

VF0768
Sparrow

VF0692
Old Pink

VF0661
Terracotta

VF5032
Cinnamon

Pastel



VF0733
Pale Ivory

VF0066
Sand

VF0073
Hygienic White

VF0627
Hygienic Beige

VF0651
Cream

VF0693
Orchid



UNLIMITED CUSTOM COLOURS

VITRAFINISH has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.

CEMENTEX

Raw Fibre Cement Panel

DESCRIPTION

CEMENTEX raw fibre cement is an express joint 9mm fibre cement facade panel which offers superior strength and impact resistance to standard CFC. Ideally suited for all high performance commercial facade cladding and lining applications CEMENTEX raw fibre cement is hydro-sealed for increased moisture protection prior to finishing and it is easily installed with countersunk screws using best practice installation methods.

PRODUCT BENEFITS



HIGH STRENGTH

CEMENTEX raw fibre cement is double pressed and autoclaved. This results in a high density panel with superior strength, impact resistance and longevity compared to other CFC panels.



ASBESTOS FREE

CEMENTEX raw fibre cement is manufactured by the world's largest producer of fibre cement who were the global leaders in eliminating asbestos from the fibre cement we use today.



SANDED FINISH

CEMENTEX raw fibre cement comes pre-sanded to provide a smooth superior surface ready to be finished with your choice of external coating product.



10 YEAR WARRANTY

CEMENTEX raw fibre cement comes with a 10 year warranty backed by the global manufacturer. Use Cementex panels with complete peace of mind.



HYDRO SEALED

CEMENTEX raw fibre cement is hydrophobated for protection from moisture absorption onsite prior to the external paint finish being applied.



PROVEN PERFORMANCE

CEMENTEX raw fibre cement has proven performance worldwide in many regions and climates. Use Cementex with confidence knowing that many previous projects have been successfully completed.



GLOBAL MANUFACTURER

CEMENTEX raw fibre cement is manufactured by the world's largest fibre cement producer which supplies millions of m2 worldwide for the global construction market.



NON-COMBUSTIBLE

CEMENTEX raw fibre cement is a non-combustible facade material that can be used internally or externally wherever a non-combustible material is required.



SIZES & KEY DATA TABLE

Product Range

CODE	DESCRIPTION	AVAILABILITY	MOQ
CE902412	CEMENTEX 9mm Fibre Cement, 2400 x 1200mm	Stock	1 Sheet
CE902712	CEMENTEX 9mm Fibre Cement, 2700 x 1200mm	Stock	1 Sheet
CE903012	CEMENTEX 9mm Fibre Cement, 3000 x 1200mm	Stock	1 Sheet

Accessories

CODE	DESCRIPTION	AVAILABILITY	MOQ
SG1203560	STUDTEK 120 x 35mm Joint Top-hat, 6.0m	Stock	1 Length
SG503560	STUDTEK 50 x 35mm Intermediate Top-hat, 6.0m	Stock	1 Length
SZA757560	STUDTEK 75 x 75mm Zinalume Angle, 6.0m	Stock	1 Length
SJS359	STUDTEK 67 x 3.5mm Black Backing Strip, 3.59m	Stock	1 Length
SJS299	STUDTEK 67 x 3.5mm Black Backing Strip, 2.99m	Stock	1 Length
TFG4032	STUDTEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll
SBCSK	SMARTBIT Countersinking Tool	Stock	1 Tool
GVCSK30	GALVANISED 30mm x 10g Countersunk Screw, 100	Stock	1 Pack
MEGAP1	MEGAPOXY P1 Filler for Flushing Screws, 1 Litre	Stock	1 Pack



DURACOM

Fibre Cement Facade Panel

DESCRIPTION

DURACOM is an express joint 9mm fibre cement facade panel (CFC cladding) which offers superior strength and impact resistance. Ideally suited for all high performance commercial facade cladding and lining applications DURACOM CFC cladding is easily installed to a steel framing system with countersunk screws using best practice CFC installation methods. Offering infinite different panel layouts and colour palettes it is finished onsite after installation with a high quality exterior paint or texture coating.

PRODUCT BENEFITS



SUPERIOR MATERIAL

DURACOM CFC cladding is an advanced compressed fibre cement meaning it is a high density panel with high strength, impact resistance and longevity compared to some other fibre cement materials.



ASBESTOS FREE

DURACOM CFC cladding is produced to Australian quality standards and it is 100% asbestos free for guaranteed consumer safety and peace of mind.



UNLIMITED COLOURS

DURACOM CFC cladding is easily finished onsite after installation using high quality exterior paint or texture coat systems in an almost unlimited range of colours.



FULL WARRANTY

DURACOM CFC cladding comes with a 15 year warranty backed by the manufacturer. Use DURACOM panels with assurance that it is backed by one of Australia's largest companies.



PRE-SEALED

DURACOM CFC cladding is pre-sealed with an advanced UV cured coating system for protection from moisture absorption onsite prior to the external paint finish being applied.



PROVEN PERFORMANCE

DURACOM CFC cladding has proven performance in many regions and climates and it has been rated by CSIRO for weatherability. Use with confidence knowing that it is a tried and proven product.



AUSTRALIAN MADE

DURACOM CFC cladding is proudly made in Australia by one of the world's largest fibre cement manufacturers with a proven track record supplying millions of m2 of product to the construction market.



NON-COMBUSTIBLE

DURACOM CFC cladding is a deemed non-combustible facade material that complies with BAL40 as required in AS3959:2009, the ideal solution for use in bushfire-prone areas.



SIZES & KEY DATA TABLE

Product Range

CODE	DESCRIPTION	AVAILABILITY	MOQ
DC91890	DURACOM 9mm Fibre Cement, 1800 x 900mm	Stock	1 Sheet
DC92490	DURACOM 9mm Fibre Cement, 2400 x 900mm	Stock	1 Sheet
DC93090	DURACOM 9mm Fibre Cement, 3000 x 900mm	Stock	1 Sheet
DC91812	DURACOM 9mm Fibre Cement, 1800 x 1200mm	Stock	1 Sheet
DC92412	DURACOM 9mm Fibre Cement, 2400 x 1200mm	Stock	1 Sheet
DC92712	DURACOM 9mm Fibre Cement, 2700 x 1200mm	Stock	1 Sheet
DC93012	DURACOM 9mm Fibre Cement, 3000 x 1200mm	Stock	1 Sheet

Accessories

CODE	DESCRIPTION	AVAILABILITY	MOQ
SG1203560	STUDTEK 120 x 35mm Joint Top-hat, 6.0m	Stock	1 Length
SG503560	STUDTEK 50 x 35mm Intermediate Top-hat, 6.0m	Stock	1 Length
SZA757560	STUDTEK 75 x 75mm Zincalume Angle, 6.0m	Stock	1 Length
SJS359	STUDTEK 67 x 3.5mm Black Backing Strip, 3.59m	Stock	1 Length
SJS299	STUDTEK 67 x 3.5mm Black Backing Strip, 2.99m	Stock	1 Length
TFG3632	STUDTEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll
DCSEAL	DURACOM 400g Edge Sealer (Apply to all cut edges)	Stock	1 Can
SBCSK	SMARTBIT Countersinking Tool	Stock	1 Tool
GVCSK30	GALVANISED 30mm x 10g Countersunk Screw, 100	Stock	1 Pack
MEGAP1	MEGAPOXY P1 Filler for Flushing Screws, 1 Litre	Stock	1 Pack



DURAGRID

Express Fibre Cement Cladding

DESCRIPTION

DURAGRID express fibre cement cladding is similar in design and application to other express type fibre cement products with the added benefit of being manufactured by one of the worlds most experienced fibre cement companies meaning it can offer better value without any compromise. Offering a smooth surface with square edge finish for express joints, DURAGRID fibre cement cladding enables easy installation and easy finishing onsite for a clean modern finish.

PRODUCT BENEFITS



EXPRESS JOINT

DURAGRID fibre cement cladding is installed with express joints between all the panels providing neat clean lines to achieve a cost effective yet modern look using unlimited different panel layouts.



FAST INSTALLATION

DURAGRID fibre cement cladding is installed to timber battens or steel framing using screws, traditional nails or brad nails using a nail gun for fast easy and efficient installation.



VERSATILE

DURAGRID fibre cement cladding is a highly versatile panel with a superior surface that is ready to be finished with your choice of external paint or texture coating product in any colour.



GLOBAL MANUFACTURER

DURAGRID fibre cement cladding is manufactured by one of the world's largest fibre cement companies which supplies millions of m2 per year for the construction market.



SMART SHEET SIZES

DURAGRID fibre cement cladding is readily stocked in the common sheet sizes designed to suit standard stud spacing's and provide the sort after modern looking negative detail.



COST EFFECTIVE

DURAGRID fibre cement cladding is a cost effective product that is fast and easy to install and finish providing a quality commercial grade product without the price tag of other products.



STRENGTH & DURABILITY

DURAGRID fibre cement cladding can be used in wind zones up to and including extra high areas according to NZS3604:2011 for wide application all over Australia.



BRANZ CERTIFIED

DURAGRID fibre cement cladding has proven performance in many regions and climates. It is unaffected by, air, steam, salt or sunlight and is BRANZ appraised so you can specify it with confidence.



SIZES & KEY DATA TABLE

Product Range

CODE	DESCRIPTION	AVAILABILITY	MOQ
DG9119119	DURAGRID 9mm Fibre Cement, 1190 x 1190mm	Stock	1 Sheet
DG9299119	DURAGRID 9mm Fibre Cement, 2990 x 1190mm	Stock	1 Sheet
DG917989	DURAGRID 9mm Fibre Cement, 1790 x 890mm	Stock	1 Sheet
DG923959	DURAGRID 9mm Fibre Cement, 2390 x 590mm	Stock	1 Sheet

Accessories

CODE	DESCRIPTION	AVAILABILITY	MOQ
DGB27	DURAGRID 70 x 19mm Timber Batten, 2.7m Length	Stock	1 Length
DGB30	DURAGRID 70 x 19mm Timber Batten, 3.0m Length	Stock	1 Length
SG751560	STUDTEK 75 x 15mm Top-hat, 6.0m Length	Stock	1 Length
SG753560	STUDTEK 75 x 35mm Top-hat, 6.0m Length	Stock	1 Length
SJS359	STUDTEK 67 x 3.5mm Black Backing Strip, 3.59m Length	Stock	1 Length
SJS299	STUDTEK 67 x 3.5mm Black Backing Strip, 2.99m Length	Stock	1 Length
SBCSK	SMARTBIT Countersinking Tool	Stock	1 Tool



DURAGROOVE

Grooved Fibre Cement Panel

DESCRIPTION

DURAGROOVE fibre cement panel offers a modern external finish cladding with sleek grooves to immitate the look of shiplap cladding. It is a surprisingly adapltable panel which is available in different profiles and spacings and it has a shiplap joint type for fast and easy installation. DURAGROOVE fibre cement panel is suitable for single storey and medium height projects and comes in three variants: smooth narrow 100mm, smooth wide 150mm, woodgrain wide 150mm and smooth extra wide 400mm.

PRODUCT BENEFITS



SHIPLAP JOINT

DURAGROOVE fibre cement panel is installed with a shiplap joint between all the panels allowing a smooth transition between sheets with a subtle shadowline.



TRADITIONAL LOOK

DURAGROOVE fibre cement panel has vertical grooves in the panels which creates an exciting contemporary alternative to traditional weatherboard.



PRE-SEALED

DURAGROOVE fibre cement panel is pre-sealed with acrylic which aids paint application and helps protect panels from moisture absorption onsite prior to a suitable external coating being applied.



EASY INSTALLATION

DURAGROOVE fibre cement panel is quick and easy to install, there is no need for taped and filled joints allowing for fast and efficient installation to common type framing systems.



VERSATILE FORMATS

DURAGROOVE fibre cement panel is a highly versatile panel with a superior surface ready to be finished with your choice of external paint or texture coating product.



COST EFFECTIVE

DURAGROOVE fibre cement panel is a cost effective product that is installed direct onto stud frame walls allowing easy, flexible, fast and cost effective commercial grade product.



SURFACE CHOICES

DURAGROOVE fibre cement panel is available with a smooth or woodgrain surface so you can choose which surface suits your specific application, project vibe and design intent.



PROVEN PERFORMANCE

DURAGROOVE fibre cement panel has proven performance in many regions and climates throughout Australia and it is resistant to termites, air, steam, salt and sunlight.



SIZES & KEY DATA TABLE

Product Range

CODE	DESCRIPTION	AVAILABILITY	MOQ
DVSN24512	DURAGROOVE 9mm Smooth Narrow, 2450 x 1200mm	Stock	1 Sheet
DVSN27512	DURAGROOVE 9mm Smooth Narrow, 2750 x 1200mm	Stock	1 Sheet
DVSN3012	DURAGROOVE 9mm Smooth Narrow, 3000 x 1200mm	Stock	1 Sheet
DVSW24512	DURAGROOVE 9mm Smooth Wide, 2450 x 1200mm	Stock	1 Sheet
DVSW27512	DURAGROOVE 9mm Smooth Wide, 2750 x 1200mm	Stock	1 Sheet
DVSW3012	DURAGROOVE 9mm Smooth Wide, 3000 x 1200mm	Stock	1 Sheet
DVWW24512	DURAGROOVE 9mm Woodgrain Wide, 2450 x 1200mm	Stock	1 Sheet
DVWW27512	DURAGROOVE 9mm Woodgrain Wide, 2750 x 1200mm	Stock	1 Sheet
DVWW3012	DURAGROOVE 9mm Woodgrain Wide, 3000 x 1200mm	Stock	1 Sheet
DVSX24512	DURAGROOVE 9mm Smooth Extra Wide, 2450 x 1200mm	Stock	1 Sheet
DVSX27512	DURAGROOVE 9mm Smooth Extra Wide, 2750 x 1200mm	Stock	1 Sheet
DVSX3012	DURAGROOVE 9mm Smooth Extra Wide, 3000 x 1200mm	Stock	1 Sheet

Accessories

CODE	DESCRIPTION	AVAILABILITY	MOQ
DTEC	DURATRIM External Corner, 3.0m Length	Stock	1 Length
DTIC	DURATRIM Internal Corner, 3.0m Length	Stock	1 Length
DTHF	DURATRIM Horizontal Flashing, 3.0m Length	Stock	1 Length
TFG4032	STUDTEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll



STRATUM

Fibre Cement Weatherboard

DESCRIPTION

STRATUM fibre cement weatherboard is an innovative alternative to the traditional weatherboards we are all know so well. STRATUM fibre cement weatherboard is a surprisingly adaptable plank type product that is available in a number of different profiles called for you to choose from, or you can even create your own unique look by mixing all three profiles together on your project. STRATUM fibre cement weatherboard offers a durable, attractive cladding solution which is non-combustible for use in fire risk areas and it can be painted any colour and is easy to install for brilliant all round outcomes.

PRODUCT BENEFITS



SHIPLAP JOINT

STRATUM fibre cement weatherboard is installed with an easy shiplap joint between all the planks leaving a neat and subtle shadowline, ideal for many different styles of project and aesthetics.



TRADITIONAL LOOK

STRATUM fibre cement weatherboard has vertical grooves in the panels which creates an exciting contemporary alternative to traditional weatherboard but is faster and neater to install.



PRE-SEALED

STRATUM fibre cement weatherboard planks are all factory pre-sealed which helps paint application and assists protect panels from moisture absorption onsite prior to coating with a suitable external finish.



EASY INSTALLATION

STRATUM fibre cement weatherboard planks are very quick and easy to install by manual nailing, gun nailing or screw fixing allowing for easy installation. STRATUM planks can be face-fixed or conceal-fixed.



VERSATILE DESIGN

The STRATUM fibre cement weatherboard plank range is highly versatile with different profiles and a superior surface ready to be finished with your choice of external paint in unlimited colours.



COST EFFECTIVE

STRATUM fibre cement weatherboard is a cost effective product that is installed direct onto stud frame walls allowing an easy, flexible, fast and cost effective solution which looks a million dollars.



STYLE CHOICES

STRATUM fibre cement weatherboard is available in 4 different profiles you can choose from to suit different project styles and moods or to mix together to create your own unique look.



PROVEN PERFORMANCE

STRATUM fibre cement weatherboard has proven performance in many regions and climates Australia wide and over many years. It is resistant to termites, air, steam, salt and sunlight.



SIZES & KEY DATA TABLE

Product Range

CODE	DESCRIPTION	AVAILABILITY	MOQ
STS3042	STRATUM 300 x 12mm Standard Profile, 4.2m Length	Stock	1 Length
STD3042	STRATUM 300 x 12mm Duo Profile, 4.2m Length	Stock	1 Length
STT3042	STRATUM 300 x 12mm Trio Profile, 4.2m Length	Stock	1 Length
STC1742	STRATUM 170 x 10mm Contour Profile, 4.2m Length	Stock	1 Length
STE29542	STRATUM 295 x 10mm Era Profile, 4.2m Length	Stock	1 Length

Accessories

CODE	DESCRIPTION	AVAILABILITY	MOQ
STSEC	STRATUM Standard External Corner, 3.0m Length	Stock	1 Length
STEEC	STRATUM Era External Corner, 3.0m Length	Stock	1 Length
STCEC	STRATUM Contour External Corner, 3.0m Length	Stock	1 Length
STSIC	STRATUM Standard Internal Corner, 3.0m Length	Stock	1 Length
STEIC	STRATUM Era Internal Corner, 3.0m Length	Stock	1 Length
STCIC	STRATUM Contour Internal Corner, 3.0m Length	Stock	1 Length
STCSS	STRATUM Contour Starter Strip 3.0m Length	Stock	1 Length
TFG4032	STUDEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll





BLUECHIPGROUP

Architectural Cladding Systems

Product Range



62 Division Street, Welshpool WA 6106
P (08) 9451 2344 F (08) 9451 8983
E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.