



DURAGROOVE

Grooved Fibre Cement Panel

DESCRIPTION

DURAGROOVE fibre cement panel offers a modern external finish cladding with sleek grooves to immitate the look of shiplap cladding. It is a surprisingly adaptable panel which is available in different profiles and spacings and it has a shiplap joint type for fast and easy installation. DURAGROOVE fibre cement panel is suitable for single storey and medium height projects and comes in three variants: smooth narrow 100mm, smooth wide 150mm, woodgrain wide 150mm and smooth extra wide 400mm.

PRODUCT BENEFITS



SHIPLAP JOINT

DURAGROOVE fibre cement panel is installed with a shiplap joint between all the panels allowing a smooth transition between sheets with a subtle shadowline.



TRADITIONAL LOOK

DURAGROOVE fibre cement panel has vertical grooves in the panels which creates an exciting contemporary alternative to traditional weatherboard



PRE-SEALED

DURAGROOVE fibre cement panel is pre-sealed with acrylic which aids paint application and helps protect panels from moisture absorption onsite prior to a suitable external coating being applied.



EASY INSTALLATION

DURAGROOVE fibre cement panel is quick and easy to install, there is no need for taped and filled joints allowing for fast and efficient installation to common type framing systems.



VERSATILE FORMATS

DURAGROOVE fibre cement panel is a highly versatile panel with a superior surface ready to be finished with your choice of external paint or texture coating product.



COST EFFECTIVE

DURAGROOVE fibre cement panel is a cost effective product that is installed direct onto stud frame walls allowing easy, flexible, fast and cost effective commercial grade product.



SURFACE CHOICES

DURAGROOVE fibre cement panel is available with a smooth or woodgrain surface so you can choose which surface suits your specific application, project vibe and design intent.



PROVEN PERFORMANCE

DURAGROOVE fibre cement panel has proven performance in many regions and climates throughout Australia and it is resistant to termites, air, steam, salt and sunlight.





SIZES & KEY DATA TABLE

Product Range

CODE	DESCRIPTION	AVAILABILITY	MOQ
DVSN24512	DURAGROOVE 9mm Smooth Narrow, 2450 x 1200mm	Stock	1 Sheet
DVSN27512	DURAGROOVE 9mm Smooth Narrow, 2750 x 1200mm	Stock	1 Sheet
DVSN3012	DURAGROOVE 9mm Smooth Narrow, 3000 x 1200mm	Stock	1 Sheet
DVSW24512	DURAGROOVE 9mm Smooth Wide, 2450 x 1200mm	Stock	1 Sheet
DVSW27512	DURAGROOVE 9mm Smooth Wide, 2750 x 1200mm	Stock	1 Sheet
DVSW3012	DURAGROOVE 9mm Smooth Wide, 3000 x 1200mm	Stock	1 Sheet
DVWW24512	DURAGROOVE 9mm Woodgrain Wide, 2450 x 1200mm	Stock	1 Sheet
DVWW27512	DURAGROOVE 9mm Woodgrain Wide, 2750 x 1200mm	Stock	1 Sheet
DVWW3012	DURAGROOVE 9mm Woodgrain Wide, 3000 x 1200mm	Stock	1 Sheet
DVSX24512	DURAGROOVE 9mm Smooth Extra Wide, 2450 x 1200mm	Stock	1 Sheet
DVSX27512	DURAGROOVE 9mm Smooth Extra Wide, 2750 x 1200mm	Stock	1 Sheet
DVSX3012	DURAGROOVE 9mm Smooth Extra Wide, $3000 \times 1200 \text{mm}$	Stock	1 Sheet

Accessories

CODE	DESCRIPTION	AVAILABILITY	моо
DTEC	DURATRIM External Corner, 3.0m Length	Stock	1 Length
DTIC	DURATRIM Internal Corner, 3.0m Length	Stock	1 Length
DTHF	DURATRIM Horizontal Flashing, 3.0m Length	Stock	1 Length
TFG4032	STUDTEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll





Architectural Cladding Systems

Product Range



62 Division Street, Welshpool WA 6106 P (08) 9451 2344 F (08) 9451 8983 E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.