



EXTRUSIONS

Aluminium Extrusions

DESCRIPTION

BLUECHIP stocks a range of smart, corrosion resistant aluminium extrusions trims and accessories that cater to individual project requirements. BLUECHIP extrusions can be supplied in mill-finish or powder coated to match any colour. BLUECHIP extrusions provide the necessary profiles for creating cassette panels, stiffeners, and a range of trims to finish of any cladding material. BLUECHIP cladding trims are designed to be used for internal and external corners, window detailing, abutments, joints and any area where a trim may be required. The adjustable depth of the corner profiles allow for ease of adaption to most cladding materials.

PRODUCT BENEFITS



SECRET FIXING SYSTEM

BLUECHIP cladding trims hide all the messy finishing areas to complete your project neatly and hide away all the ugly fixings leaving a clean and modern finish.



VERSATILE

BLUECHIP cladding trims are designed to be used with different thickness cladding products from 15mm to 24mm thick providing unrivalled versatility.



MAINTENANCE FREE

All BLUECHIP extrusions are manufactured from high grade alloy for use in marine environments. Available in anodised or powder coated they are the ideal long term finish to your cladding.



UNLIMITED COLOURS

BLUECHIP extrusions can be supplied in unlimited custom colours matched to either SELEKTA or DUROCLAD composite cladding or a sample supplied by the client.



USER FRIENDLY

BLUECHIP cladding trims have been designed with an adjustable depth so you can easily apply them to your choice of cladding materials to neatly finish off your project.



WEATHER TIGHT

By using a suitable sealant underneath the outside trim piece, the cladding trims help weather seal the cladding at junctions such as corners, abutments and around openings.



FIRE RATED

BLUECHIP extrusions are 100% non-combustible allowing them to be used anywhere a non-combustible material is required.



EASY EXPRESSION

BLUECHIP cladding trims give unlimited design expression to your cladding project by allowing you to match the cladding, window frames or any other colour.






SIZES & KEY DATA TABLE

Aluminium Z-angles

CODE	DESCRIPTION	AVAILABILITY	MOQ
UZL58	ULTRAZED 28 x 24mm Long Z-angle (Mill Finish)	Stock	5.8m Length
UZS58	ULTRAZED 28 x 22mm Short Z-angle (Black Finish)	Stock	5.8m Length

Cladding Trim System

CODE	DESCRIPTION	AVAILABILITY	MOQ
CTCP	CLADTRIM 40 x 40mm Corner Profile (External/Internal), 5.5m	Stock	1 Length
CTCS	CLADTRIM 40mm Cover Strip, 5.5m Length	Stock	1 Length
CTSS	CLADTRIM Starter Strip, 5.5m Length	Stock	1 Length
CT4040	CLADTRIM 40 x 40mm Angle, 6.5m Length	Stock	1 Length
CT4020	CLADTRIM 40 x 20mm Angle, 5.8m Length	Stock	1 Length
CT2020	CLADTRIM 20 x 20mm Angle, 5.8m Length	Stock	1 Length
CTCOAT	CLADTRIM Custom Colour Coating (Insert Colour)	3-5 Days	1 Length







Architectural Cladding Systems

Product Range















62 Division Street, Welshpool WA 6106 P(08) 9451 2344 F(08) 9451 8983 E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject