

TAPES & GASKETS

Product Brochure

TAPES & GASKETS

Foam Tapes & Gaskets

DESCRIPTION

BLUECHIP foam tapes & gaskets is a superior range of adhesive foam gaskets and double-sided tape specially developed for a wide range of sealing and bonding applications in the the facade and cladding market. BLUECHIP foam tapes & gaskets are ideal for sealing facade joints because they are non-staining, non-corrosive and electrically non-conductive offering high temperature resistance (-40°C to 105°C) as well as excellent resistance to UV, ozone and weathering. TESA double-sided tape range specially developed for the facade market is ideal for attaching stiffeners as well as panel installation in some applications.

PRODUCT BENEFITS



EXPRESS JOINTS

BLUECHIP foam tapes & gaskets are closed cell EPDM and are specially designed for sealing express joints between cladding panels installed to the STUDTEK framing system.



EASY TO USE

BLUECHIP foam tapes & gaskets come with an aggressive bonding acrylic adhesive for excellent bond strength and fast installation to the substrate.



HIGH STRENGTH

BLUECHIP foam tapes & gaskets have a high strength polyester interliner providing high dimensional stability with good compression strength and a low compression set.



FIRE RESISTANT

The BLUECHIP foam tapse & gaskets range are tested and categorised flame retardant according to FMVSS 302 for superior fire safety and peace of mind.



WATER TIGHT

Ideal for sealing express cladding joints, BLUECHIP foam tapes & gaskets become 100% water tight under only 10% compression ensuring complete water tightness.

GLOBAL RENOWN

BLUECHIP foam tapes & gaskets are made by global company's with outstanding reputations for superior quality products and proven long term performance across numerous industries and applications.

HIGH DURABILITY

BLUECHIP foam tapes & gaskets advanced technology means they are highly resistant to weathering and UV exposure and can handle temperatures from -40 to 105 C.

HIGH ELASTICITY

BLUECHIP foam tapes & gaskets have 175% elongation at break point which is nearly double their normal size and means no loss of integrity with even extreme building movement.





SIZES & KEY DATA TABLE

Foam Gaskets

CODE	DESCRIPTION	AVAILABILITY	моа
TFG4048	STUDTEK 40 x 4.8mm Vertical Joint Gasket, 15m Roll	Stock	1 Roll
TFG4032	STUDTEK 40 x 3.2mm Vertical Joint Gasket, 25m Roll	Stock	1 Roll
TFG1232	STUDTEK 12 x 3.2mm Intermediate Gasket, 25m Roll	Stock	1 Roll
TFG****	Other Sizes Available on Request	POA	POA

Double-sided Tape

CODE	DESCRIPTION	AVAILABILITY	ΜΟQ
TT707819	TESA 19mm 7078 ACXplus Panel Tape, 18m Roll	Stock	1 Roll
TT707815	TESA 15mm 7078 ACXplus Panel Tape, 18m Roll	Stock	1 Roll
TT704415	TESA 15mm 7044 ACXplus Stiffener Tape, 25m Roll	Stock	1 Roll
TT704412	TESA 12mm 7044 ACXplus Stiffener Tape, 25m Roll	Stock	1 Roll
TT*****	Other Sizes Available on Request	POA	POA

Accessories

CODE	DESCRIPTION	AVAILABILITY	ΜΟQ
TT60040	TESA Industry Cleaner, 500ml Can	Stock	1 Can
TT60149	TESA Abrasive Pads, 150 Pack	Stock	1 Pack
TT60150	TESA Adhesion Promoter, 100ml Can	Stock	1 Can







Architectural Cladding Systems

Product Range



62 Division Street, Welshpool WA 6106 P (08) 9451 2344 F (08) 9451 8983 E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.