



BLUECHIP

Natural Cladding

TERRAFACE

Product Brochure

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)



# TERRAFACE

## Terracotta Facade System

### Description

TERRAFACE terracotta cladding tiles and sunscreen battens (formerly Argeton) are manufactured in Europe by one of the largest clay block, brick and roof tile manufacturers in the world. Enriching new and modern buildings, TERRAFACE terracotta cladding tiles also impart an exclusive contemporary character to refurbished properties. Combined with steel, wood or glass, it is elegant, natural and looks effective for decades. The high strength of the TERRAFACE terracotta cladding and its fixing system make the system particularly suitable for use on public buildings, e.g. schools, and other high stress areas.

### Product Benefits



#### HIGH DURABILITY

TERRAFACE terracotta cladding tiles are one of the first ceramic facade systems to have passed the test for ball throwing safety in accordance with DIN18632-3.



#### FULL WARRANTY

TERRAFACE terracotta cladding offers a 10 year warranty and is backed by global giant Wienerberger, who are the largest manufacturer of bricks in the world.



#### PRECISION MANUFACTURING

The high precision dimensioning of TERRAFACE terracotta cladding tile plates is achieved by a special calibrating facility, the essential element of the precise joints which gives a facade its overall impression.



#### NATURAL AESTHETICS

Enriching new and refurbished buildings, TERRAFACE terracotta cladding imparts an exclusive contemporary character to all projects. It is elegant, natural and looks effective for decades.



#### NON-COMBUSTIBLE

TERRAFACE terracotta cladding is a non-combustible facade material that can be used internally or externally wherever a non-combustible material is required.



#### CONCEALED FIX SYSTEM

The high strength of the TERRAFACE terracotta cladding tiles and its concealed fixing system make the facade particularly suitable for use on public buildings, e.g. schools, and other high stress areas.



#### HIGH ACOUSTIC RATING

The additional noise insulation of the building by the TERRAFACE terracotta cladding reduces air-carried sound by approx. 9 dB, depending on type of application.



#### VENTILATED FACADE SYSTEM

TERRAFACE terracotta cladding is installed on a ventilated sub-construction system allowing for the building envelope to breathe which increases thermal and energy efficiency.

### Profiles

	<b>Specification Code:</b> UT18 TERRAFACE 300 x 18
	<b>Specification Code:</b> UT18 TERRAFACE 400 x 18
	<b>Specification Code:</b> UT22 TERRAFACE 250 x 22
	<b>Specification Code:</b> UT22 TERRAFACE 300 x 22
	<b>Specification Code:</b> UT22 TERRAFACE 400 x 22
	<b>Specification Code:</b> UT22 TERRAFACE 500 x 22
	<b>Specification Code:</b> USS55 TERRAFACE Sunscreen
	<b>Specification Code:</b> USC50 TERRAFACE Sunscreen
	<b>Specification Code:</b> USR*** TERRAFACE Sunscreen
	<b>Specification Code:</b> USE*** TERRAFACE Sunscreen

### Availability

DESCRIPTION	TILE SIZES	LEAD TIME	MOQ
TERRAFACE UT18 Terracotta Tile	300, 400 x 600, 900, 1200mm	14-16 Weeks	100m <sup>2</sup>
TERRAFACE UT22 Terracotta Tile	250, 300, 400, 500 x 600, 900, 1200, 1500mm	14-16 Weeks	100m <sup>2</sup>
TERRAFACE USS Square Sunscreen	55 x 55mm x 250-1500mm	14-16 Weeks	100m <sup>2</sup>
TERRAFACE USC Circular Sunscreen	50mm Diametre x 250-1500mm	14-16 Weeks	100m <sup>2</sup>
TERRAFACE USR Rectangular Sunscreen	110 x 55mm x 250-1500mm 200 x 55mm x 250-1500mm	14-16 Weeks	100m <sup>2</sup>
TERRAFACE USE Elliptical Sunscreen	150 x 50mm x 250-1400mm 250 x 60mm x 250-1400mm	14-16 Weeks	100m <sup>2</sup>

### Accessories

CODE	DESCRIPTION	LEAD TIME	MOQ
UTTC**	TERRAFACE Tile Clip with Rubber Gasket, Pack 100	14-16 Weeks	1 Pack
UTVJP	TERRAFACE Vertical Joint Profile, 5.8m Length	14-16 Weeks	1 Length
UTHR**	TERRAFACE Horizontal Carrier Rail, 5.8m Length	14-16 Weeks	1 Length
US*SSB	TERRAFACE Sunscreen Support Bracket (Insert Profile)	14-16 weeks	1 Bracket
US*SJG	TERRAFACE Sunscreen Joint Gasket (Insert Profile)	14-16 Weeks	1 Gasket

### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.






# TERRAFACE

## Colour Chart

### Natural Colours




### Stone Imitations




### Glazed Colours



### Metal Imitations



### Timber Imitations





We've Got It Covered

V1020



Blue Chip Group Pty Ltd  
SYDNEY | MELBOURNE | PERTH  
P 1300 945 123  
E sales@bluechipgroup.net.au

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.