



EQUITONE

Through-Colour Fibre Cement Panel

Description

EQUITONE is a through-coloured fibre cement cladding designed by and for architects. Every EQUITONE panel is unique, showing the raw, untreated texture of the fibre cement base material. Fibre cement is a cement composite material that consists of cement, cellulose and mineral materials, reinforced by a visible matrix. Nothing else. Visible and invisible fixing methods include riveting, screwing and bonding on metal or wood supporting frames. No matter what design options you explore, the through-coloured nature of EQUITONE assures crisp, monolithic details in a wide range of unique finishes.

Product Benefits



THROUGH-COLOUR MATERIAL

EQUITONE through-colour fibre cement cladding offers elegant shades of natural colour. Every EQUITONE panel is unique, showing the raw, untreated texture of the fibre cement base material.



NON-COMBUSTIBLE

EQUITONE through-colour fibre cement cladding is a non-combustible facade material that can be used internally or externally wherever a non-combustible material is required.

cladding is readily available with over 10 colours in stock Australia wide. Please contact us to

confirm the stock range and current available



EASY TO CUT & INSTALL

EQUITONE through-colour fibre cement cladding is easily cut to size and installed onsite minimising lengthy lead times between site measure, production and delivery of prefinished panels.




sheet sizes.

LOCAL STOCK AVAILABLE

EQUITONE through-colour fibre cement

MAINTENANCE FREE EQUITONE through-colour fibre cement cladding is a truly maintenance free material with no re-sealing, painting or ongoing maintenance ever required during install or anytime thereafter.



HIGH DURABILITY

without any treatment.

REPELS WATER

EQUITONE through-colour fibre cement cladding is an exceptionally durable panel. Even in the most demanding applications EQUITONE has a life expectancy exceeding 50 years.

the core of the panel. This allows the completely



VENTILATED SYSTEM

EQUITONE cladding is installed on a ventilated sub-construction system allowing for the building envelope to breathe which increases thermal and energy efficiency and promotes healthier buildings.

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.







Product Range











EQUITONE Tectiva Finish

Natura Finish

EQUITONE Lines Finish

EQUITONE Lunara Finish

EQUITONE Pictura Finish

Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
EQUITONE Tectiva TE90, TE10, TE20	2500, 3050 x 1220mm	Stock	1 Sheet
EQUITONE Tectiva TE00, TE15, TE60	2500, 3050 x 1220mm	2-3 Weeks	1 Sheet
EQUITONE Tectiva TE30, TE40	2500, 3050 x 1220mm	14-16 Weeks	40 Sheets
EQUITONE Natura N154, N161, N991, N593, N412, N252, N250, N251, N074	2500, 3100 x 1250mm	2-3 Weeks	1 Sheet
EQUITONE Natura All Other Colours	2500, 3100 x 1250mm	14-16 Weeks	30 Sheets
EQUITONE Lines	2500, 3050 x 1220mm	2-3 Weeks	1 Sheet
EQUITONE Lunara	2500, 3050 x 1220mm	14-16 Weeks	30 Sheets
EQUITONE Pictura	2500, 3100 x 1250mm	14-16 Weeks	30 Sheets

Accessories

CODE	DESCRIPTION	LEAD TIME	MOQ
EQUR***	EQUITONE Uni Rivet (Insert Colour), 250 Pack	Stock	1 Pack
EQUFPS	EQUITONE Uni Rivet Fixed Point Sleeve, 100 Pack	Stock	1 Pack
EQUTS***	EQUITONE Uni Timber Screw (Insert Colour), 250 Pack	3-4 Weeks	1 Pack
EQUSS	EQUITONE Uni Screw Sleeve, 250 Pack	3-4 Weeks	1 Pack
EQLUK10	LUKO 1 Litre Edge Sealer (Natura Only)	Stock	1 Can

System Components











AS 1530.1 Sarking

Breathable Barriers

Steel Facade System

EQUITONE

Colour Chart

(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.

Equitone Tectiva



















TE85 Graphite

White (s)

Equitone Natura



N162 Chalk Grey



N154 Cream White

Fossil Grey



Tawny Hue

Natural Grey







N251

















N074 Obsidian

Equitone Natura (Special Colours)









Jadeite Green









Muted Yellow



N331 Agate Red

Equitone Lines



Raw Grey





Equitone Lunara

Hessian



LA60



LA20 Raw Grey




EQUITONE

Colour Chart

Equitone Pictura

























Blue Chip Group Pty Ltd

SYDNEY | MELBOURNE | BRISBANE | PERTH P 1300 945 123

E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.