

FUNDERMAX **Product** Brochure www.bluechipgroup.net.au (🗐)

FUNDERMAX

High Pressure Laminate Panel

Description


FUNDERMAX Max Exterior F-Quality is a duromer high pressure laminate cladding manufactured in Austria in accordance with EN-438-6 type EDF. It is factory produced using double hardened acrylic PUR resins for excellent consistency and outstanding durability. Produced in a high pressure laminate press under very high temperature, FUNDERMAX high pressure laminate cladding is extremely tough with high resistance to fading, scratching and denting making it ideal for all interior or exterior cladding applications where a low maintenance finish and long-term durability is required.

Product Benefits



GRAFFITI RESISTANT

FUNDERMAX Max Exterior F-quality high pressure laminate cladding has a closed cell surface which prevents inks, paints and other graffiti materials from permanently harming





DOUBLE SIDED COLOUR

As standard all FUNDERMAX Max Exterior high pressure laminate cladding comes with the décor on both sides so that each side can be used. If one side is damaged during install simply flip to the other side.



EXTREME DURABILITY

FUNDERMAX Max Exterior high pressure laminate cladding is extremely durable even in the harshest external environments. A project installed in 1978 which was tested 33 years later had little change.



UV RESISTANT

FUNDERMAX Max Exterior high pressure laminate cladding is colourfast and offer exceptional resistance to UV light. According to EN ISO 4892-3 they are extremely lightfast with very minimal change.



FIRE RATED

FUNDERMAX Max Exterior high pressure laminate cladding has been tested to the Australian Standards by the NATA approved CSIRO achieving excellent results according to AS 3837 & AS 1530.3.



MAINTENANCE FREE

FUNDERMAX Max Exterior high pressure laminate cladding has a very high density surface finish preventing accumulation of any dirt build up allowing for virtually no maintenance if any.




FULL WARRANTY

FUNDERMAX Max Exterior high pressure laminate cladding is backed up with a 10 year warranty. However the life expectancy exceeds 33 years and has been proven to outlast many alternatives.




LARGE COLOUR RANGE

FUNDERMAX Max Exterior high pressure laminate cladding is available in a huge range of decors from solid, metallic, timber, metal, concrete, and graphic print options. The limit is your imagination.



Product Range











FUNDERMAX Nature Decors

FUNDERMAX Material Decors

FUNDERMAX Metallic / Solid

FUNDERMAX Authentic Decor

FUNDERMAX Individual Decor

Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
FUNDERMAX Nature Decors	2800, 4100 x 1300mm 2800, 4100 x 1854mm	14-16 Weeks	100m²
FUNDERMAX Material Decors	2800, 4100 x 1300mm 2800, 4100 x 1854mm	14-16 Weeks	100m²
FUNDERMAX Metallic & Solid Colours	2800, 4100 x 1300mm 2800, 4100 x 1854mm	14-16 Weeks	100m²
FUNDERMAX Authentic Decor	4100 x 1854mm	14-16 Weeks	100m²
FUNDERMAX Individual Decor	2800, 4100 x 1300mm	14-16 Weeks	100m²

System Components











AS 1530.1 Sarking

Breathable Barriers

Steel Facade System

Specialist Tools

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.





FUNDERMAX

Colour Chart

Nature Decors



Material Decors



Metallic Colours



Black, Grey & White



Neon






FUNDERMAX

Colour Chart

Yellow



Blue



Green


FX0612

FX0056


Atlantis

FX0617






Red



Brown



Pastel



Authentic

Individual Decor























Blue Chip Group Pty Ltd

SYDNEY | MELBOURNE | BRISBANE | PERTH P 1300 945 123

E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.