

ULTRABOND

Product Brochure

www.bluechipgroup.net.au $(\Box)(\Box)(\Box)$

ULTRABOND

Fire Resistant Aluminium Composite Panel

Description

ULTRABOND is a 4mm thick fire resistant aluminium composite panel comprising of a >70% mineral filled core, sandwiched between two prefinished aluminium or other natural metal cover sheets such as zinc, copper or stainless steel. Utilising the reknowned PVDF paint system, ULTRABOND aluminium composite panel has been thoroughly tested in Australia by NATA accredited CSIRO and Exova Warringtonfire and is manufactured to the highest quality standards. It is also BCA/NCC compliant for all type C* construction projects and has full-scale fire testing in accordance with AS 5113.

Product Benefits

ULTRABOND fire resistant aluminium composite panel is compliant with NCC 2019 for use as external cladding on all type C* construction projects ensuring you are specifying a compliant

product tested to Australian standards.

PVDF PAINT SYSTEM

ULTRABOND fire resistant aluminium composite panel only uses the highly recognised PVDF Kynar 500 or FEVE paint systems known for their high durability and optimum resistance to weather and industrial pollution.

LOW MAINTENANCE



AS 5113 FIRE TESTING Although not required for type C construction, ULTRABOND fire resistant aluminium composite panel has been tested to AS 5113 by NATA approved Exova Warringtonfire to prove it does contribute to the spread of fire.



UNLIMITED CUSTOM COLOURS

NCC 2019 COMPLIANCE

ULTRABOND fire resistant aluminium composite panel has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.



LOCAL STOCK AVAILABLE

ULTRABOND fire resistant aluminium composite panel is stocked in a range of standard solid colours and metallic colours for fast delivery at all times.



The ULTRABOND FR fire resistant aluminium composite panel finish has undergone 40+ years of exposure testing which is continuing to confirm the superior properties of fluoropolymer coatings.

COST EFFECTIVE



ULTRABOND fire resistant aluminium composite panel has enjoyed consistent growth not only due to the desire for a clean and modern look, but also a product offering rapid cost effective installation.

FULL WARRANTY



ULTRABOND fire resistant aluminium





composite panel has a long track record of consistency, reliability and quality allowing us to offer up to 15 year's warranty when installed by a licensed installer

Product Range



ULTRABOND

Availability

Solid Colours

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
ULTRABOND Metallic Stock Colours UB9701, UB9205, UB9134, UB9137, UB9308	2500, 3200, 4000 x 1570mm	Stock	1 Sheet
ULTRABOND Solid Stock Colours UB1005, UB9130, UB1677	2500, 3200, 4000 x 1570mm	Stock	1 Sheet
ULTRABOND Non-stock, BCG & Custom Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1570mm	8-10 Weeks	300m²
ULTRABOND Natural Metal Finishes	2500, 3200, 4000 x 1220mm	8-10 Weeks	300m²

System Components



AS 1530.1 Sarking

STUDTEK Steel Sub-framing

EXTRUSIONS Z-angles & Trims

*For types A & B construction, use ULTRACORE non-combustible aluminium core panel - see page 2.

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab








Natural Zinc





AN





ULTRABOND Natural Copper



UITRABOND **Mirror Stainless**





TAPES & GASKETS Foil & Foam Tapes



JOINT SEALANT Prolastik & Sikaflex

ULTRABOND

Colour Chart

(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.

Metallic Colours



Solid Colours



BCG Colours




BGC Colours Cont'd



Natural Metal Finishes






UB5740 Blue Grey Zinc Zinc

UB5160 Natural Copper

UB5800 Stainless Steel Mirror

UNLIMITED CUSTOM COLOURS

ULTRABOND has unlimited colour options, we









Blue Chip Group Pty Ltd SYDNEY | MELBOURNE | PERTH P 1300 945 123 E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.