



## ULTRACORE IQ

## Intelligent Non-combustible Core Panel

### Description


ULTRACORE IQ intelligent core panel is Deemed-to-Satisfy non-combustible when tested to AS 1530.1 and AS 1530.3 as per the requirements of the NCC 2022, Clause C2D10(6)(g) and installed using the mechanical cassette-fix system as per NCC 2022, Clause C2D15(1). It has also been tested by Exova Warringtonfire to BS 8414 and AS 5113 full-scale testing to prove it does not contribute to the spread of fire. Visually, ULTRACORE IQ intelligent non-combustible core panel looks the same as traditional aluminium composite panel but with zero combustible core content (0%) meaning it achieves the lowest risk rating, category D, from the Insurance Council of Australia.

### **Product Benefits**



#### **PROVEN V-GROOVE DURABILITY**

Unlike 3mm SOLID aluminium, ULTRACORE IQ has 40 years of proven durability when using the common v-groove folding system. This is because the front skin is not impacted when v-grooving, as has always been intended.



#### **AS 1530.1 NON-COMBUSTIBLE**

ULTRACORE **IQ** is one of the few aluminium panels globally that is Deemed-to-Satisfy non-combustible when tested to AS 1530.1 and AS 1530.3 in accordance with the NCC 2022 Clause C2D10(6)(g) requirements.



### **AS 5113 FIRE TESTING**

ULTRACORE IQ is Deemed-to-Satisfy noncombustible so does not require further testing. However it has been tested to AS 5113 fullscale testing by Exova Warringtonfire, proving it does not contribute to the spread of fire.



#### **ZERO POLYETHYLENE (0%)**

Unlike most other aluminium panel products including FR, Plus, A2 and NC type panels, the ULTRACORE **IQ** aluminium core contains ZERO percent flammable polyethylene (0%) and each lamina is 100% non-combustible.



#### LESS THERMAL CONDUCTIVITY

ULTRACORE IQ aluminium core panel has thermal conductivity of 2.54 W/mK compared to 205 W/mk for SOLID aluminium panel. This means 80x less heat transfer into the building for greater fire safety and section J compliance.



#### **MECHANICAL CASSETTE-FIXING**

Compared to a SOLID aluminium panel, ULTRACORE IQ is faster and easier to fabricate using the well-proven z-angle cassette-fix system making it more cost effective and compliant with C2D15(1)...



### **OIL-CANNING RESISTANCE**

Oil-canning is the uneven distribution of tension in SOLID aluminium panels which results in a rippling effect on the facade. The superior mechanical properties of ULTRACORE IQ guarantees against oil-canning.




#### LESS CARBON, LESS WEIGHT


ULTRACORE **IQ** intelligent core panel is 100% recyclable and uses 50% less aluminium per m<sup>2</sup> than 3mm SOLID aluminium for much less carbon footprint. It is also 50% lighter for significant structural and labour savings.

### **Product Range**

المرك المساكل المساكل



UITRACORE IO







ULTRACORE IQ Metallic Colours

ULTRACORE IQ Solid / Matt Colours Sparkling Colours

UITRACORE IO Chromatic Colours

UITRACORE IO

Imitation Finishes

### **Availability**

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
ULTRACORE <b>IQ</b> Metallic Stock Colours UC9701, UC9205, UC9134, UC9137, UC9308, UC4150, UC5292, UC9809	2500, 3200, 4000 x 1500mm	Stock	1 Sheet
ULTRACORE <b>IQ</b> Solid Stock Colours UC1005, UC1025, UC9902, UC1255, UC1270, UC9130, UC1590, UC1460, UC1140, UC1190, UC1677	2500, 3200, 4000 x 1500mm	Stock	1 Sheet
ULTRACORE IQ Non-stock, BCG & Custom Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1500mm	10-12 Weeks	300m²
ULTRACORE <b>IQ</b> Matt, Sparkling, Chromatic & Imitation Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1500mm	10-12 Weeks	300m²

### **System Components**











AS 1530.1 Sarking

Steel Facade System

Specialised Cladding & Decking Fixings

Foil & Foam Tapes

Prolastik & Sikaflex

#### **INSTALL & TECHNICAL**

For installation and technical information, scan the QR code and view 'Downloads' tab.






## ULTRACORE IQ

### **Colour Chart**

(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.

### **Metallic Colours**



### Solid Colours





### **BCG Colours**

المن المناح المناطل بالمنا





#### **UNLIMITED CUSTOM COLOURS**

ULTRACORE **IQ** has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.

LANDROVER (55)

# ULTRACORE IQ

### **Colour Chart**

### **Matt Colours**







UCM885 Matt White



UCM886 UCM001 Matt Pearl Matt Ivory



UCM006 Matt Bronze



UCM004

UCM003 Matt Graphite Matt Copper



Matt Gold

### **Sparkling Colours**



UC4725 Sparkling White Sparkling Light Sparkling Dark



UC7250



Sparkling Black

### **Chromatic Colours**



UC7090 Chromatic Golden Snow



UC7160 Chromatic Antique Gold



Honey Gold





UC7350

Chromatic

Chromatic Tiger Chromatic



Chromatic Galaxy Silver

Sahara Copper



UC7480 Chromatic Indigo Violet



UC7450 Chromatic Oriental Silk



UC7490 Chromatic Tropical Ocean





Martian Green

### **Timber Imitations**



المستر ساحات المساحل بينه

UC8310 Rustic Pine



UC8320 Unique Beli





UC8355 Vintage Walnut Elegant Teak



Noble Bloodwood



Polished Rengas

### **Stone Imitations**



UC6060 Marble Pearl White



UC6385



UC6315 UC6305 Marble Cashmir Travertine Atlas Travertine Calico Cream Beige



UC8385

Ascot Teak

UC6310 Granite Aurisina Granite Beige



Magenite Black

### **Metal Imitations**



UC2200 Brushed Silver



UC5220 Zinc Dark



UC5260 Zinc Charcoal



UC5150 Brushed Copper



#### **UNLIMITED CUSTOM COLOURS**

ULTRACORE IQ has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.





















#### Blue Chip Group Pty Ltd

SYDNEY | MELBOURNE | BRISBANE | PERTH P 1300 945 123

E sales@bluechipgroup.net.au

### www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.