

ULTRACORE IQ **Product** Brochure

www.bluechipgroup.net.au $(\Box)(\Box)(\Box)$

ULTRACORE IQ

Intelligent Non-combustible Core Panel

Description

ULTRACORE IQ intelligent core panel is Deemed-to-Satisfy non-combustible when tested to AS 1530.1 and AS 1530.3 as per the requirements of the NCC 2022, Clause C2D10(6)(g) and installed using the mechanical cassette-fix system as per NCC 2022, Clause C2D15(1). It has also been tested by Exova Warringtonfire to BS 8414 and AS 5113 full-scale testing to prove it does not contribute to the spread of fire. Visually, ULTRACORE IQ intelligent non-combustible core panel looks the same as traditional aluminium composite panel but with zero combustible core content (0%) meaning it achieves the lowest risk rating, category D, from the Insurance Council of Australia.

Product Benefits



PROVEN V-GROOVE DURABILITY

Unlike 3mm SOLID aluminium, ULTRACORE IQ has 40 years of proven durability when using the common v-groove folding system. This is because the front skin is not impacted when v-grooving, as has always been intended.



AS 1530.1 NON-COMBUSTIBLE

ULTRACORE **IQ** is one of the few aluminium panels globally that is Deemed-to-Satisfy non-combustible when tested to AS 1530.1 and AS 1530.3 in accordance with the NCC 2022 Clause C2D10(6)(g) requirements.



AS 5113 FIRE TESTING

ULTRACORE IQ is Deemed-to-Satisfy noncombustible so does not require further testing. However it has been tested to AS 5113 fullscale testing by Exova Warringtonfire, proving it does not contribute to the spread of fire.



ZERO POLYETHYLENE (0%)

Unlike most other aluminium panel products including FR, Plus, A2 and NC type panels, the ULTRACORE **IQ** aluminium core contains ZERO percent flammable polyethylene (0%) and each lamina is 100% non-combustible.



ULTRACORE IQ aluminium core panel has thermal conductivity of 2.54 W/mK compared to 205 W/mk for SOLID aluminium panel. This means 80x less heat transfer into the building for greater fire safety and section J compliance.





Compared to a SOLID aluminium panel, ULTRACORE IQ is faster and easier to fabricate using the well-proven z-angle cassette-fix system making it more cost effective and compliant with C2D15(1)..

OIL-CANNING RESISTANCE

Oil-canning is the uneven distribution of tension in SOLID aluminium panels which results in a rippling effect on the facade. The superior mechanical properties of ULTRACORE IQ guarantees against oil-canning.

LESS CARBON, LESS WEIGHT



ULTRACORE **IQ** intelligent core panel is 100% recyclable and uses 50% less aluminium per m² than 3mm SOLID aluminium for much less carbon footprint. It is also 50% lighter for significant structural and labour savings.

Product Range



Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
ULTRACORE IQ Metallic Stock Colours UC9701, UC9205, UC9134, UC9137, UC9308, UC4150, UC5292, UC9809	2500, 3200, 4000 x 1500mm	Stock	1 Sheet
ULTRACORE IQ Solid Stock Colours UC1005, UC1025, UC9902, UC1255, UC1270, UC9130, UC1590, UC1460, UC1140, UC1190, UC1677	2500, 3200, 4000 x 1500mm	Stock	1 Sheet
ULTRACORE IQ Non-stock, BCG & Custom Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1500mm	10-12 Weeks	300m²
ULTRACORE IQ Matt, Sparkling, Chromatic & Imitation Colours	2500, 3200, 4000 x 1250mm 2500, 3200, 4000 x 1500mm	10-12 Weeks	300m²

System Components



BICEP & STUDTEK Steel Facade System



INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.





FIRESPAN AS 1530.1 Sarking








ULTRACORE IQ Sparkling Colours



Chromatic Colours



Imitation Finishes





TAPES & GASKETS Foil & Foam Tapes




JOINT SEALANT Prolastik & Sikaflex

ULTRACORE IQ

Colour Chart


(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.

Metallic Colours



Solid Colours









BCG Colours





UNLIMITED CUSTOM COLOURS

ULTRACORE **IQ** has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.

ULTRACORE IQ

Colour Chart

Matt Colours




Sparkling Colours



Chromatic Colours












Metal Imitations



Beige





UC6305

Calico Cream

UC2200 UC5220 Zinc Dark Brushed Silver

Marble Pearl

White

UC5260 Zinc Charcoal

Marble Cashmir Travertine Atlas Travertine

Beige

UC5150 Brushed Copper



UNLIMITED CUSTOM COLOURS

ULTRACORE IQ has unlimited colour options, we are able to match any colour from any other colour range. With small MOQ's and fast lead times you can realise your vision.







Stone Imitations





UC8385 Ascot Teak



UC8650 Noble Bloodwood



UC8395 Polished Rengas



UC6310 Granite Aurisina Granite Beige




UC6280 Magenite Black











Blue Chip Group Pty Ltd SYDNEY | MELBOURNE | BRISBANE | PERTH P 1300 945 123

E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.