

ULTRALIGN **Cladding** Brochure www.bluechipgroup.net.au

ULTRALIGN

Extruded Aluminium Cladding

Description

ULTRALIGN intelligent aluminium facade system is available in a range of solid aluminium profiles providing a reliable and attractive modern facade alternative to other commercial cladding products. ULTRALIGN products have been specifically designed by experienced commercial facade professionals to meet the demands of today's facade industry. Australian made using the finest raw materials and finish options, ULTRALIGN offers an unprecedented level of quality, reliability, and longevity with an extensive range of colours, textures, and finish options, available in both standard and custom sizes.

Product Benefits



AS 1530.1 NON-COMBUSTIBLE

ULTRALIGN products are made of 100% solid aluminium which is totally non-combustible to AS 1530.1. Architects, engineers, and tenants can be assured ULTRALIGN will not burn or contribute to fire spread.



INTELLIGENT INSTALLATION

The ULTRALIGN profile has been intelligently designed to provide excellent usability such as multi-angle mating and it has double swarf-free contact points for superior consistency and weatherproofing.



PREFINISHED SYSTEM

The entire ULTRALIGN range is pre-finished. This means there is no requirement for painting or onsite finishing. Our finish options are both attractive and durable to maintain a protective coating over time.



100% AUSTRALIAN MADE

ULTRALIGN is a 100% Australian owned, designed and made product, which contributes to its outstanding quality and fast lead times. Using ULTRALIGN aids all aspects of the Australian economy.



ENVIRONMENTALLY SUSTAINABLE

ULTRALIGN solid aluminium is a 100% recyclable product. Energy, emissions, wastage and materials are saved in every aspects of the product from manufacturing, to, delivery, installation and recycling.



MINIMAL FABRICATION

ULTRALIGN panels can be ordered to custom lengths which eliminates additional fabrication. Panels are simply interlocked and tightened, then fixed. This also optimises usability and decreases waste.



INCREDIBLE AESTHETICS

ULTRALIGN profiles all have their own unique look with classic shadow lines, sharp step features or bold standing seams. Add in the choice of any anodised or powdercoat finish and the options are limitless.



COMPLETE SYSTEM

ULTRALIGN is supplied with a complete range of matching trims called CLADTRIM. These cater for all common details and junction types such as starter strip, cover strip, edge trim and corner profiles.


INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.





Profiles



Availability

CODE	DESCRIPTION	LEAD TIME	MOQ
UL*G15518	ULTRALIGN 155 x 18mm Groove (Insert Colour), 6.5m Length	4-5 Weeks	1 Length
UL*C15525	ULTRALIGN 155 x 25mm Cabin (Insert Colour), 6.5m Length	14-16 Weeks	50 Lengths
UL*F15518	ULTRALIGN 155 x 18mm Flute (Insert Colour), 6.5m Length	14-16 Weeks	50 Lengths
UL*D15518	ULTRALIGN 155 x 18 Duoflute (Insert Colour), 6.5m Length	14-16 Weeks	50 Lengths
UL*S20548	ULTRALIGN 205 x 48mm Seam (Insert Colour), 6.5m Length	14-16 Weeks	50 Lengths
UL*C34025	ULTRALIGN 340 x 25mm Castellated (Insert Colour), 5.0m Length	8-10 Weeks	50 Lengths

Colour-Matched Trims

CODE	DESCRIPTION	LEAD TIME	MOQ
CT*SS	CLADTRIM J-shape Starter Strip (Insert Colour), 5.5m Length	2-3 Weeks	1 Length
CT*ZPET	CLADTRIM Z-shape Joint Profile (Insert Colour), 5.5m Length	2-3 Weeks	1 Length
CT*CP	CLADTRIM 40mm 2-piece Corner (Insert Colour), 5.5m Length	2-3 Weeks	1 Length
CT*CS	CLADTRIM 40mm 2-piece Cover Strip (Insert Colour), 5.5m Length	2-3 Weeks	1 Length
CT*ZPET	CLADTRIM 40mm 2-piece Edge Trim (Insert Colour), 5.5m Length	2-3 Weeks	1 Length
CT*XXXX	CLADTRIM 50/40/20mm Angle (Insert Colour), 6.5m Length	2-3 Weeks	1 Length

System Components











Facade System

AS 1530.1 Insulation

Class 4 Membrane

Joint Sealant

ULTRALIGN

Colour Chart

Anodised Earth Colours (Matt Finish)









UL1615 Paraburdoo

UL0825 Hamersley

UL0318

Anodised Earth Colours (Satin Finish)

Karijini









UL1313 Millstream

Marble Bar

UL0705 Gascoyne

Roxby



Anodised Space Colours



UL0320 Comet Trail*



UL1225 Light Year*



UL1305 Moonshine



UL1207 Lunar Glow



UL1914 Scintillation



UL0110 Astro Journey



UL0925



UL0314 Constellation



UL1519 Orion Sky



UL1904 Stellar Distance

Material Colours



UL0102 Authentic Brushed



UL0116 Authentic Polished



UL0114 Authentic Natural



UL0318 Coral Rust



UL0118 Authentic Rust



UL2118 Uluru Rust



UL0418 Dark Rust



UL2116 Uluru Polished



UL2114



UL0202



UL1502 Bronze Brushed Ochre Brushed



UL1514 Ochre Natural

*Gold anodised colours: UL0320 Comet Trail and UL1225 Light Year will not be consistent and will have significant variation of colour and tone both between different lengths and within a single length.





ULTRALIGN

Colour Chart

Powdercoat Colours – visit <u>interpon.com/au/en</u>











Powdercoat Colours – visit <u>duluxpowders.com.au</u>

























Blue Chip Group Pty Ltd SYDNEY | MELBOURNE | BRISBANE | PERTH | ADELAIDE

P 1300 945 123

E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.