



CEDRAL

Prefinished Fibre Cement Weatherboards

Description

CEDRAL is the ideal low maintenance, rot free, alternative to traditional paint onsite weatherboard. We believe in beautiful, lasting homes. That's why we offer beautiful weatherboards that exceed the highest standards. For a home with a perfect finish that will last a lifetime, CEDRAL prefinished fibre cement combines the best of science and nature. It is an environmentally-friendly material made of wood, cellulose, sand, synthetic fibres and water. Then it is pre-finished to create a strong and high-performance weatherboard that adds value to your home. Hard as stone & as easy as wood.

Product Benefits



NON-COMBUSTIBLE

CEDRAL prefinished weatherboards are deemed non-combustible according to the BCA/NCC 2019 Clause C1.9(e)(iv) and can be used anywhere a non-combustible cladding is required.



EASY TO CUT & INSTALL

CEDRAL prefinished weatherboards are easily cut to size and installed either off-site to transportable buildings or onsite to traditional buildings. No painting is required saving time and money.



BAL-FZ RATING

Deemed non-combustible, CEDRAL can be used in the most extreme bushfire zones including the most dangerous FZ zone to create safe, beautiful and maintenance free homes.



VENTILATED SYSTEM

CEDRAL prefinished weatherboards are installed on a ventilated batten system allowing for your home to breathe, increasing thermal and energy efficiency and promoting healthier buildings.



LIGHT WEIGHT

CEDRAL has a layered production and fibre matrix supporting the cement. This makes it thinner than concrete but with the same performance benefits such as strength and durability.



DIMENSIONAL STABILITY

Thanks to its excellent thermal stability, CEDRAL will not warp or crack under high temperatures during summer months and it is freeze resistant in accordance with AS 2908.2.



LOW MAINTENANCE

CEDRAL prefinished weatherboards are extremely pest resistant and they don't rot meaning they last much longer than traditional weatherboards with no onsite treatment or painting.



HIGH DURABILITY

CEDRAL is resistant to all kinds of weather, from high heat and direct sunlight to severe frosts and torrential rain. It has a minimum life expectancy of 50 years in most environments.

Profiles

Specification Code: CL*** CEDRAL Lap Profile
Specification Code: CC*** CEDRAL Click Profile

Availability

CODE	DESCRIPTION	LEAD TIME	MOQ
CLW01	CEDRAL 190 x 10mm Lap Woodgrain White, 3.6m Length	2-3 Weeks	1 Length
CLW07	CEDRAL 190 x 10mm Lap Woodgrain Cream White, 3.6m	2-3 Weeks	1 Length
CLW05	CEDRAL 190 x 10mm Lap Woodgrain Grey, 3.6m Length	2-3 Weeks	1 Length
CCS01	CEDRAL 186 x 12mm Click Smooth White, 3.6m Length	2-3 Weeks	1 Length
CCS07	CEDRAL 186 x 12mm Click Smooth Cream White, 3.6m	2-3 Weeks	1 Length
CCS05	CEDRAL 186 x 12mm Click Smooth Grey, 3.6m Length	2-3 Weeks	1 Length
CL***	CEDRAL 190 x 10mm Lap All Other Colours, 3.6m Length	10-12 Weeks	100 Lengths
CC***	CEDRAL 186 x 12mm Click All Other Colours, 3.6m Length	10-12 Weeks	100 Lengths
CTU**	CEDRAL Touch-up Paint (insert Colour), 500ml Can	2-3 Weeks	1 Can
CCCTS	CEDRAL Click Secret Fix Clip with Timber Screw, 250 Pack	2-3 Weeks	1 Pack

System Components



FIRESPAN AS 1530.1 Sarking



STUDTEK Steel Sub-framing



CLADTRIM Colour-match Trims



ADHESIVES SikaTack & 11FC



COLOURFIX Coloured Fixings

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.







CEDRAL

Colour Chart


Stock Colours



Non-stock Colours

C19 Ocean

C31 Forrest











Blue Chip Group Pty Ltd SYDNEY | MELBOURNE | PERTH P 1300 945 123 E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.