Sikaflex[®] PRO

ber



VersionRevision Date:1.225.08.2021	SDS Number: 000000608291	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021
------------------------------------	-----------------------------	---

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikaflex [®] PRO
Product code	: 000000608291
Manufacturer or supplier's	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone Telefax	: +61 2 9725 11 45 : +61 2 9725 33 30

Emergency telephone num- : +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable liquids :	Category 4
Short-term (acute) aquatic : hazard	Category 3
GHS label elements	
1 0	None Warning
Hazard statements :	H227 Combustible liquid. H402 Harmful to aquatic life.
Precautionary statements :	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protec- tion/ face protection/ hearing protection.
	Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	Storage:
	P403 Store in a well-ventilated place.
	Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Sikaflex[®] PRO



Version	Revision Date:	SDS Number:	Date of last issue: 11.07.2021
1.2	25.08.2021	00000608291	Date of first issue: 29.06.2021

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
xylene	1330-20-7	0 -< 10
ethylbenzene	100-41-4	0 -< 10
4,4'-methylenediphenyl diisocyanate	101-68-8	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.

Sikaflex[®] PRO



Version 1.2	Revision Date: 25.08.2021		SDS Number: 000000608291	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021
	cial protective equipment irefighters	:	In the event of fire, wear self-co	ntained breathing apparatus.
SECTIO	N 6. ACCIDENTAL RELEA	AS	E MEASURES	
tive	sonal precautions, protec- equipment and emer- cy procedures	:	For personal protection see sec	tion 8.
Env	ironmental precautions	:	Do not flush into surface water of If the product contaminates rive respective authorities.	
	hods and materials for tainment and cleaning up	:	Wipe up with absorbent materia Keep in suitable, closed contain	
SECTIO	N 7. HANDLING AND STO)R/	AGE	
	ice on protection against and explosion	:	Normal measures for preventive	e fire protection.
Adv	ice on safe handling	:	Do not get in eyes, on skin, or o For personal protection see sec Follow standard hygiene measu products	tion 8.
Hyg	iene measures	:	Handle in accordance with good practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and	

Conditions for safe storage : Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
xylene	1330-20-7	STEL	150 ppm 655 mg/m3	AU OEL
		TWA	80 ppm 350 mg/m3	AU OEL
ethylbenzene	100-41-4	TWA	100 ppm 434 mg/m3	AU OEL

Sikaflex[®] PRO



VersionRevision Date:1.225.08.2021			umber:)608291	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021		
			STEL	125 ppm 543 mg/m3	AU OEL	
	4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL	
		Further infor cinogen, Ser		ory 2 (Carc. 2) Suspec	cted human car-	
			STEL	0.07 mg/m3 (NCO)	AU OEL	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
xylene	1330-20-7	Methylhip- puric acids	Urine	End of shift (As soon as possible after ex- posure ceases)	1.5 g/g creat- inine	ACGIH BEI
ethylbenzene	100-41-4	Sum of mandelic acid and phenyl gly- oxylic acid	Urine	End of shift (As soon as possible after ex- posure ceases)	0.15 g/g cre- atinine	ACGIH BEI

Appropriate engineering controls	Use adequate ventilation and/or engineering controls to vent exposure to vapours.) pre-
Personal protective equipment		
Respiratory protection	In case of inadequate ventilation wear respiratory prote Respirator selection must be based on known or anticip exposure levels, the hazards of the product and the saf working limits of the selected respirator.	pated
Hand protection	Chemical-resistant, impervious gloves complying with a approved standard should be worn at all times when ha chemical products if a risk assessment indicates this is essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.	andling
Eye protection	Safety glasses	
Skin and body protection	Protective clothing (e.g. safety shoes, long-sleeved wor clothing, long trousers) Follow AS 2210:3 Protective clothing needs to be made of cotton.	king

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Sikaflex[®] PRO



Versio 1.2	on Revision Date: 25.08.2021		SDS Number: 000000608291	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021
	Appearance	:	paste	
	Colour	:	No data available	
	Odour	:	characteristic	
	Odour Threshold	:	No data available	
	pH	:	Not applicable	
	Melting point/range / Freezing	:	No data available	
	point Boiling point/boiling range	:	No data available	
	Flash point	:	ca. 63 °C (145 °F) (Method: closed cup)	
l	Evaporation rate	:	No data available	
l	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
,	Vapour pressure	:	0.01 hPa	
l	Relative vapour density	:	No data available	
l	Density	:	ca. 1.26 g/cm3 (23 °C (73 °F))	
:	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
l	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	ca. > 20.5 mm2/s (40 °C (104 °F))
l	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

Sikaflex[®] PRO



Version 1.2	Revision Date: 25.08.2021		SDS Number: 000000608291	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021
SECTION	10. STABILITY AND RE	AC	ΤΙVITY	
Reac	tivity	:	No dangerous reaction know	own under conditions of normal use.
Chemical stability		:	The product is chemically	stable.
Possi tions	ibility of hazardous reac-	:	No hazards to be specially	/ mentioned.
Cond	itions to avoid	:	No data available	
Incon	npatible materials	:	see section 7.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

<u>Components:</u> xylene:				
Acute oral toxicity	:	LD50 Oral (Rat): 3,523 mg/kg		
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 1,700 mg/kg		
ethylbenzene: Acute oral toxicity	:	LD50 Oral (Rat): 3,500 mg/kg		
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 5,510 mg/kg		
4,4'-methylenediphenyl diis Acute oral toxicity	iocy :			
Acute inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement		
Skin corrosion/irritation Not classified based on available information.				
Serious eye damage/eye irritation Not classified based on available information.				
Respiratory or skin sensitisation				
Skin sensitisation Not classified based on available information.				

Respiratory sensitisation

Not classified based on available information.

Sikaflex[®] PRO



	SDS Number: 000000608291	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021
--	-----------------------------	---

Chronic toxicity

Germ cell mutagenicity Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
xylene: Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- : icity)	NOEC (Oncorhynchus mykiss (rainbow trout)): > 1.3 mg/l Exposure time: 56 d
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity) ethylbenzene: M-Factor (Acute aquatic tox- icity)	NOEC (Daphnia (water flea)): 1.17 mg/l Exposure time: 7 d 1
Persistence and degradability No data available	
Bioaccumulative potential No data available	
Mobility in soil No data available	
Other adverse effects	
Product:	

Sikaflex[®] PRO



Version	Revision Date: 25.08.2021	SDS Number:	Date of last issue: 11.07.2021
1.2		000000608291	Date of first issue: 29.06.2021
Addition mation	onal ecological infor- า	: There is no data available f	for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use

Sikaflex[®] PRO



ge the tio The components of this product are reported in the follow AIIC : On the inventory, or in comp	
AIIC : On the inventory, or in comp	quirements, including for carcino- ens referred to in Schedule 10 of e model WHS Act and Regula- ons.
	ing inventories:
	-
AICS : On the inventory, or in comp	pliance with the inventory
SECTION 16. OTHER INFORMATION	
Revision Date: 25.08.2021Date format: dd.mm.yyyy	
Full text of other abbreviations	
ACGIH BEI : ACGIH - Biological Exposur	
AU OEL : Australia. Workplace Exposition taminants.	ure Standards for Airborne Con-
AU OEL / TWA : Exposure standard - time we	eighted average
AU OEL / STEL : Exposure standard - short te	
ADG : Australian Dangerous Good	
ADR : European Agreement conce Dangerous Goods by Road	erning the International Carriage of
CAS : Chemical Abstracts Service	
DNEL : Derived no-effect level	
EC50 : Half maximal effective conce	entration
GHS : Globally Harmonized Syster	
IATA : International Air Transport A	
IMDG : International Maritime Code	
	ount of a material, given all at th of 50% (one half) of a group of
air that kills 50% of the test	(concentrations of the chemical in animals during the observation
MARPOL period) MARPOL : International Convention for Ships, 1973 as modified by	the Prevention of Pollution from the Protocol of 1978
OEL : Occupational Exposure Limi	
PBT : Persistent, bioaccumulative	and toxic
and of the Council of 18 Dec istration, Evaluation, Author	ration 006 of the European Parliament cember 2006 concerning the Reg- isation and Restriction of Chemi- a European Chemicals Agency
SVHC : Substances of Very High Co	
vPvB : Very persistent and very bio	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

Sikaflex[®] PRO



	Date of last issue: 11.07.2021 Date of first issue: 29.06.2021
--	---

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN