



# **ULTRAWOOD**

# Non-combustible Timber Cladding & Battens

## Description

ULTRAWOOD is an innovative new generation exterior cladding product made from highly durable marine-grade aluminium and factory pre-finished using the latest matt-effect technology in a wide range of realistic timber colours. Deemed-to-satisfy non-combustible in accordance with the BCA/NCC, it has been fully tested in Australia by CSIRO achieving excellent results to AS 1530.1 and AS 1530.3. Eco-friendly, low maintenance and incredibly durable, ULTRAWOOD is ideal for type A and B construction projects such as high rise apartments and bushfire rated areas which require non-combustible cladding.

#### **Product Benefits**



#### **AS 1530.1 NON-COMBUSTIBLE**

ULTRAWOOD is a non-combustible cladding product in accordance with the relevant requirements of the NCC/BCA and has been tested by NATA accredited CSIRO to AS 1530.1 and AS 1530.3.



# MARINE GRADE DURABILITY Along with the marine-grade alumin

Along with the marine-grade aluminium base material, the matt-effect ULTRAWOOD coating has undergone extensive durability testing and has been proven to perform in the harsh Australian conditions.



#### INTELLIGENT PROFILE

The ULTRAWOOD profile has been intelligently designed to provide excellent usability such as multi-angle mating and it has double swarffree contact points for superior consistency and weather-proofing.



#### EASY INSTALLATION

Supplied in custom lengths, ULTRAWOOD has 155mm cover per board making it fast and easy to install to a simple sub-frame at 600mm centres using secret-fix screws and a colourmatched trim system.



#### **VERY LIGHT-WEIGHT**

Compared to many other timber cladding products, ULTRAWOOD is a very light-weight system weighing only 8.75kg per square metre offering potential structural advantages and cost savings.



#### **MANUFACTURER'S WARRANTY**

Despite the undisputed durability of high-grade aluminium, ULTRAWOOD cladding offers a 10yr manufacturer's warranty on all different finishes for peace of mind and guaranteed performance.



#### **NATURAL AESTHETICS**

The beautiful looking finish on the ULTRAWOOD boards is possible because the latest matteffect coating technology provides incredible richness and variation along with outstanding long-term durability.



#### **COLOUR-MATCHED TRIMS**

The ULTRAWOOD system is completed using the CLADTRIM click-together trim system covering all common construction details and finished in exactly the same matt-effect coating for a perfect match.

#### **INSTALL & TECHNICAL**

For installation and technical information, scan the QR code and view 'Downloads' tab.





#### **Profiles**

	Specification Code: UW*G ULTRAWOOD Groove Profile
	Specification Code: UW*C ULTRAWOOD Cabin Cladding
	Specification Code: UW*S ULTRAWOOD Seam Cladding
2	<b>Specification Code:</b> UW*B5050 ULTRAWOOD 50 x 50 Batten
8	<b>Specification Code:</b> UW*B10050 ULTRAWOOD 100 x 50 Batten
2 1 1 1 1 1 2	<b>Specification Code:</b> UW*B15050 ULTRAWOOD 150 x 50 Batten
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<b>Specification Code:</b> UW*B20050 ULTRAWOOD 200 x 50 Batten
7	<b>Specification Code:</b> UW*B25050 ULTRAWOOD 250 x 50 Batten
102	<b>Specification Code:</b> UW*B30050 ULTRAWOOD 300 x 50 Batten

## **Availability**

CODE	DESCRIPTION	LEAD TIME	MOQ
UW*G15518	ULTRAWOOD 155 x 18mm Groove (Colour), 6.5m Length	4-5 Weeks	1 Length
UW*C20530	ULTRAWOOD 205 x 30mm Cabin (Colour), 6.5m Length	14-16 Weeks	50 Lengths
UW*S20548	ULTRAWOOD 205 x 48mm Seam (Colour), 6.5m Length	14-16 Weeks	50 Lengths
UW*BXXX50	ULTRAWOOD XXX x 50mm Batten (Colour), 6.5m Length	4-5 Weeks	1 Length
UWEXXX50	ULTRAWOOD XXX x 50mm Batten End Cap (Colour)	4-5 Weeks	1 End Cap
UWECS200	COLOURFIX 40mm x 8g End Cap Screw (Colour), 100 Pack	3-4 Weeks	1 Pack

<sup>(\*)</sup> Indicates different finish options. U for Ultrawood Timber Colours and P for Powdercoat Colours

## System Components



AS 1530.1 Sarking

Steel Sub-framing







CLADTRIM A
Colour-match Trims

ADHESIVES SikaTack & 11FC

COLOURFIX Coloured Fixings

# ULTRAWOOD

## **Colour Chart**

## **Ultrawood Colours**















African Teak







UW0515

English Oak



Woodstock



Douglas Fir

UW1813

UW1510

Meranti





Golden Oak



UW1005

Japanese Elm



Honey Maple

Banjo Gum







Rich Mahogany Red Iroko



Southern Cyprus Burmese Teak











UW1703

UW1580

Cedar

Queensland





UW2203

Cedar

Vancouver



Native Cherry












Nannup Jarrah

UW0302

Blackwood

Coastal





UW1120

Bowral Bluegum

Kontiki Balsa





Alaskan Cedar

UW0103




Manjimup Karri African Ebony



UW0318 Californian Redwood

Yukon Cedar

## **Anodised Colours**







Lunar Glow



Scintillation





Solar Storm



Comet Trail\*\*





UL0314 UL1519 UL1904 Constellation Orion Sky Stellar Distance

## **Powdercoat Excel Colours**





GK236A

Pale Eucalypt

GK298A

Wilderness

GK277A

GD274A

Cove Matt

(\*\*) Gold anodised colours will not be consistent and will have significant variation of colour and tone both between different lengths and within a single length.

GK274A

Mangrove Matt Cottage Green

GK030A

Hawthorn

Green Gloss

GK044A

Gloss

GL035A

Heritage Green Charcoal Gloss

# ULTRAWOOD

## **Colour Chart**

# **Powdercoat Living Colours**



## **Powdercoat Vivica Colours**

GN150A

GL249A

Matt

Storm Front

Black Satin

GN248A

Custom

GY270A

Asteroid Pearl

Black Matt



GY237A

Matt

Charcoal Pearl

GM019A

Charcoal

Metallic Gloss

GY042A

Gloss

Black Onyx


## **Precis Colours**



### Powdercoat Anodic Colours




### Powdercoat Sable Colours



## Powdercoat Ultriva Colours



# **Powdercoat Vitality Colours**





# We've Got It Covered

















#### Blue Chip Group Pty Ltd

SYDNEY | MELBOURNE | BRISBANE | PERTH P 1300 945 123

**E** sales@bluechipgroup.net.au

#### www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.