




BLUECHIP

Decking Products



# Decking Products



[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)







## DECKING PRODUCTS



2

TRAXION

Mineral-fibre Composite  
Decking



4

RITEDECK

Through-colour Composite  
Decking



6

RITEBOARD

Heavy Duty Composite Decking



8

RITESCREEN

Through-colour Composite  
Screening

## FROM THE STRUCTURE OUT, WE'VE GOT IT COVERED

BLUECHIP specialises in the manufacture and supply of exterior architectural products from the structure out. Our range includes; all types of cladding, decking materials, engineered fixing systems and insulation products. BLUECHIP has now supplied more than 3,000,000m<sup>2</sup> of materials to Australian projects since 2003.



# TRAXION

## Mineral-Fibre Composite Decking

### Description

TRAXION mineral-fibre decking is a giant leap forward in wood-alternative decking. Made in USA, it has the industry's best strength-to-weight ratio, is incredibly stable and doesn't absorb moisture. The durable polymer cap stock won't stain or fade and it provides the highest level slip resistance when tested to Australian standards. The patented technology creates a fiber-like structure inside the material, similar to wood, giving it unmatched strength and the lightweight boards are easy-to-handle on the job site. Quite simply, TRAXION is the best decking material on the market today.

### Product Benefits



**EXCELLENT SLIP RESISTANCE**  
TRAXION mineral-fibre decking achieves the highest possible slip rating of P5 when tested to the latest Australian standard AS 4586 meaning it is compliant for use in all applications.



**HIGH STRENGTH TO WEIGHT RATIO**  
Kilo-for-kilo, TRAXION mineral-fibre decking delivers unprecedented strength and much less dense compared to virtually all other composite construction materials



**MAINTENANCE FREE**  
TRAXION mineral-fibre decking contains no cellulose, has no open porosity structure, and is not degraded by common mould enzymes so simply wipe clean at your leisure.



**LOW THERMAL EXPANSION**  
TRAXION mineral-fibre decking has a far lower rate of thermal expansion than other composites. This dimensional stability is a huge advantage in maintaining performance and appearance.



**INDUSTRY LEADING WARRANTY**  
TRAXION mineral-fibre decking comes with the industry's leading warranty offering a 25-year Structural and a 25-year Stain & Fade guarantee backed up by the manufacturer in USA.



**NO MOISTURE ABSORPTION**  
Unlike many other composites, TRAXION mineral-fibre decking absorbs virtually no moisture; immersion testing shows maximum moisture absorption values of less than 0.2%.




**EXTREME STRENGTH**  
TRAXION mineral-fibre decking has exceptional strength due to its oriented internal fibre structure that is a remarkable replication of wood's internal structure.




**RESISTANCE TO EVERYTHING**  
TRAXION mineral-fibre decking is resistant to almost everything including UV, chalking, rot, leaching, cracking, denting, scratching, splintering and insects.

### Profiles



**Specification Code:** T\*X14022 TRAXION Secret Fix Decking



**Specification Code:** T\*P14022 TRAXION Pencil Round


### Availability

| CODE     | DESCRIPTION  | LEAD TIME   | MOQ        |
|----------|--|-------------|------------|
| T*X14022 | TRAXION 140 x 22mm Secret Fix Decking, 5.8m Length | Stock       | 1 Length   |
| T*P14022 | TRAXION 140 x 22mm Pencil Round, 5.8m Length       | Stock       | 1 Length   |
| T*X18522 | TRAXION 185 x 22mm Secret Fix Decking, 5.8m Length | 10-12 Weeks | 36 Lengths |
| T*P18522 | TRAXION 185 x 22mm Pencil Round, 5.8m Length       | 10-12 Weeks | 36 Lengths |
| T*P9022  | TRAXION 90 x 22mm Screening Batten, 5.8m Length    | 10-12 Weeks | 72 Lengths |


### System Components

| PAGE NO. | DESCRIPTION  | STOCK | MOQ    |
|----------|--|-------|--------|
| Page 111 | STOWAWAY Secret Fix Decking Clips & Screws           | Stock | 1 Pack |
| Page 111 | PROPLUG Colour-matched Decking Screws                | Stock | 1 Pack |
| Page 112 | STANDARD Galvanised & Stainless Steel Decking Screws | Stock | 1 Pack |


### Colour Chart




Tahiti




Seychelles




Capri



Maui



Kiribati



Dominica

### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.






# RITEDECK

## Through-colour Composite Decking


### Description

Made in USA, RITEDECK timber composite decking by Rightwood (Formerly Durodeck) has most of the attributes of timber with added advantages such as no maintenance, high durability and strength which provide a long-term aesthetically pleasing and cost effective outcome. Contributing to RITEDECK timber composite decking’s outstanding physical properties, is the use of patented Strandex technology which offers superior thermal stability and increased UV resistance. This technology is the secret behind the success of this product in the most extreme Australian conditions.


### Product Benefits




**THROUGH-COLOUR MATERIAL**  
RITEDECK timber composite decking is a homogeneous board with the colour of the material going right through. Any scratches are hard to see and can easily be fixed using a wire brush.



**DIMENSIONAL STABILITY**  
Using patented Strandex technology, every strand of wood fibre in RITEDECK decking boards is encased in high-density polyethylene, for minimal movement and superior protection against UV and moisture.




**MAINTENANCE FREE**  
RITEDECK timber composite decking does not require any surface finish at the time of installation and further to this it never requires any oiling, painting or coating over the life of the product.



**ROT & PEST RESISTANT**  
RITEDECK timber composite decking is guaranteed not to rot, split, warp or check. It is highly resistant to damage caused by termites and fungal decay and ideal for use in termite prone areas.




**SECRET FIXING**  
RITEDECK timber composite decking’s preloaded secret fix system STOWAWAY hidden fasteners can be installed in 4 quick and easy steps to achieve a clean finish with no pre-drilling and no visible screws.



**WATER RESISTANT**  
Wood fibres used in the RITEDECK boards are encapsulated in virgin polymers during the manufacturing process using the patented strandex technology, allowing no opportunity for moisture ingress.




**COOL UNDERFOOT**  
RITEDECK timber composite decking stays much cooler underfoot than other decking products including natural hardwood. This makes it much safer for children in barefeet, ideal for around pools and wet areas.




**25 YEAR WARRANTY**  
Backed by the manufacturer in USA, the RITEDECK timber composite decking comes with a 25 year limited warranty which guarantees quality and peace of mind for the life or re-sale of your investment.

### Profiles



**Specification Code:** R\*X13524 RITEDECK Secret Fix Decking



**Specification Code:** R\*P13724 RITEDECK Pencil Round

### Availability

| CODE     | DESCRIPTION  | LEAD TIME   | MOQ        |
|----------|--|-------------|------------|
| RGX13524 | RITEDECK 135 x 24mm Grey Secret Fix Decking, 5.4m Length   | Stock       | 1 Length   |
| RWX13524 | RITEDECK 135 x 24mm Walnut Secret Fix Decking, 5.4m Length | Stock       | 1 Length   |
| RGP13724 | RITEDECK 137 x 24mm Grey Pencil Round, 5.4m Length         | Stock       | 1 Length   |
| RWP13724 | RITEDECK 137 x 24mm Walnut Pencil Round, 5.4m Length       | Stock       | 1 Length   |
| RR****24 | Redwood Colour is Supplied to Order, 5.4m Lengths          | 10-12 Weeks | 80 Lengths |

### System Components

| PAGE NO. | DESCRIPTION  | LEAD TIME | MOQ    |
|----------|--|-----------|--------|
| Page 111 | STOWAWAY Secret Fix Decking Clips & Screws           | Stock     | 1 Pack |
| Page 111 | PROPLUG Colour-matched Decking Screws                | Stock     | 1 Pack |
| Page 112 | STANDARD Galvanised & Stainless Steel Decking Screws | Stock     | 1 Pack |

### Colour Chart



Grey



Walnut



Redwood

### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.






# RITEBOARD

## Heavy Duty Composite Decking


### Description

RITEBOARD by Rightwood (Formerly Marine Board) is a stunning wood composite decking with superior water and UV resistance that makes it the perfect product for use in building boardwalks, marinas, boat docks, jetties and other waterfront structures. Produced in USA using patented extrusion technology, RITEBOARD will look great and perform well years after real wood has needed replacing many times over. These benefits along with low maintenance and spanning capabilities of up to 600mm between joists make it the ideal product for heavy duty high traffic areas.


### Product Benefits




**THROUGH COLOURED**  
RITEBOARD heavy duty composite decking is an integral board with the colour of the material going right through. Any scratches are very hard to see and can easily be fixed using a wire brush.




**ROT & PEST RESISTANT**  
RITEBOARD heavy duty composite decking is guaranteed not to rot, split, warp or check. It is highly resistant to damage caused by termites and fungal decay and ideal for use in termite prone areas.




**MAINTENANCE FREE**  
RITEBOARD heavy duty composite decking does not require any surface finish at the time of installation and further to this it never requires any oiling, painting or coating over the life of the product.




**WATER RESISTANT**  
All RITEBOARD heavy duty composite decking fibres are encapsulated in virgin polymers during the manufacturing process using the patented strandex technology, allowing no opportunity for moisture ingress.




**HIGH SLIP RESISTANCE**  
RITEBOARD heavy duty composite decking has excellent grip in both wet and dry conditions. Tested to: AS 4586 it achieves Appendix A. Result: Class W (R11) making it ideal for pools and wet areas.



**25 YEAR WARRANTY**  
Made in USA, RITEBOARD heavy duty composite decking comes with a 25 year limited warranty which guarantees quality and peace of mind for the life or re-sale of your investment.





**HIGH DIMENSIONAL STABILITY**  
Using patented Strandex extrusion technology, every strand of wood fibre in RITEBOARD is encased in high-density polyethylene, for minimal movement and superior protection against UV and moisture.



**ENVIRONMENTALLY FRIENDLY**  
RITEBOARD heavy duty composite decking is formulated with a mixture of virgin and recycled high-density polyethylene and wood dust, which promotes product longevity and environmental friendliness.

### Profiles

|   |   |
|---|---|
|  | <b>Specification Code:</b> R*M13732 RITEBOARD Decking |
|  | <b>Specification Code:</b> R*P6532 RITEBOARD Batten   |

### Availability

| CODE      | DESCRIPTION                                       | LEAD TIME   | MOQ        |
|-----------|---|-------------|------------|
| RGM13732  | RITEBOARD 137 x 32mm Grey Decking, 5.4m Length    | Stock       | 1 Length   |
| RWM13732  | RITEBOARD 137 x 32mm Walnut Decking, 5.4m Length  | Stock       | 1 Length   |
| RGP6532   | RITEBOARD 65 x 32mm Grey Batten, 5.4m Length      | 1-2 Weeks   | 20 Lengths |
| RWP6532   | RITEBOARD 65 x 32mm Walnut Batten, 5.4m Length    | 1-2 Weeks   | 20 Lengths |
| RRM/P**** | Redwood Colour is Supplied to Order, 5.4m Lengths | 10-12 Weeks | 72 Lengths |

### Accessories

| PAGE NO. | DESCRIPTION  | LEAD TIME | MOQ    |
|----------|--|-----------|--------|
| Page 111 | PROPLUG Colour-matched Decking Screws                | Stock     | 1 Pack |
| Page 112 | STANDARD Galvanised & Stainless Steel Decking Screws | Stock     | 1 Pack |

### Colour Chart



### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.






# RITESCREEN

## Through-colour Composite Screening


### Description

Take your external screening to the next level with RITESCREEN wood composite screening by Rightwood (Formerly Duroscreen). Withstand the toughest daily challenges from mother nature using this commercial-grade solution. Made from a mixture of virgin and recycled plastic and recycled timber fibres, RITESCREEN wood composite screening delivers hard wearing strength and stability. It requires no oiling, painting or coating and is ideal for out of reach or hard to clean places. Easy to work with using standard tools it offers a stunning natural palette of colours for you to create a truly unique screen.


### Product Benefits




**THROUGH COLOUR MATERIAL**  
RITESCREEN wood composite screening is an integral board with the colour of the material going right through. Any scratches are very hard to see and can easily be fixed using a wire brush.




**HIGH DURABILITY**  
RITESCREEN wood composite screening is formulated with a mixture of virgin and recycled plastic along with 50% recycled timber fibres. It is an extremely dense and impact-resistant product.




**MAINTENANCE FREE**  
RITESCREEN wood composite screening does not require any surface finish at the time of installation and further to this it never requires any oiling, painting or coating over the life of the product.




**ROT & PEST RESISTANT**  
RITESCREEN wood composite screening is guaranteed not to rot, split, warp or check. It is highly resistant to damage caused by termites and fungal decay and ideal for use in termite prone areas.




**MATERIAL WARRANTY**  
RITESCREEN wood composite screening is manufactured by one of the world's oldest and most experienced producers of wood composite material. It is made in the USA and backed by a 25yr limited guarantee.



**WATER RESISTANT**  
Wood fibres in RITESCREEN material are encapsulated in virgin polymers during the manufacturing process using the patented strandex technology, minimising any opportunity for moisture ingress.






**DIMENSIONAL STABILITY**  
Unlike other composites RITESCREEN wood composite screening is dimensionally stable even in the harshest climates because of the high quality raw materials and patented manufacturing process.



**ENVIRONMENTALLY FRIENDLY**  
RITESCREEN wood composite screening is formulated with a mixture of virgin and recycled plastic along with 50% timber fibres, which promotes product longevity and environmental friendliness.

### Profiles

|   |   |
|---|---|
|  | <b>Specification Code:</b> R*S4024 RITESCREEN Square Edge |
|  | <b>Specification Code:</b> R*S5524 RITESCREEN Square Edge |
|  | <b>Specification Code:</b> R*S8524 RITESCREEN Square Edge |

### Availability

| CODE     | DESCRIPTION                                      | LEAD TIME   | MOQ         |
|----------|--|-------------|-------------|
| R*S4024  | RITESCREEN 40 x 24mm Square, 5.4m Length         | 1-2 Weeks   | 21 Lengths  |
| R*S5524  | RITESCREEN 55 x 24mm Square, 5.4m Length         | 1-2 Weeks   | 20 Lengths  |
| R*S8524  | RITESCREEN 85 x 24mm Square, 5.4m Length         | 1-2 Weeks   | 20 Lengths  |
| R*P6524  | RITESCREEN 65 x 24mm Pencil Round, 5.4m Length   | 1-2 Weeks   | 20 Lengths  |
| R*P13724 | RITESCREEN 137 x 24mm Pencil Round, 5.4m Length  | Stock       | 1 Length    |
| R*S4032  | RITESCREEN 40 x 32mm Square, 5.4m Length         | 1-2 Weeks   | 21 Lengths  |
| R*S5532  | RITESCREEN 55 x 32mm Square, 5.4m Length         | 1-2 Weeks   | 20 Lengths  |
| R*S8532  | RITESCREEN 85 x 32mm Square, 5.4m Length         | 1-2 Weeks   | 20 Lengths  |
| R*P6532  | RITESCREEN 65 x 32mm Pencil Round, 5.4m Length   | 1-2 Weeks   | 20 Lengths  |
| R*P13732 | RITESCREEN 137 x 32mm Pencil Round, 5.4m Length  | Stock       | 1 Length    |
| RR*****  | Redwood Colour is Supplied to Order, 5.4m Length | 12-14 Weeks | 160 Lengths |

### Ritescreen Colours



### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.





We've Got It Covered

V1020



Blue Chip Group Pty Ltd  
SYDNEY | MELBOURNE | PERTH  
P 1300 945 123  
E [sales@bluechipgroup.net.au](mailto:sales@bluechipgroup.net.au)

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.