



BLUECHIP

Natural Cladding



Natural Cladding



www.bluechipgroup.net.au



NATURAL CLADDING

2

EQUITONE

Through-colour
Fibre Cement Panel

8

NATURION

Non-Combustible
Natural Finish Panel

NATURAL CLADDING.

BLUECHIP specialises in the manufacture and supply of exterior architectural products from the structure out. Our range includes; all types of cladding, decking materials, engineered fixing systems and insulation products. BLUECHIP has now supplied more than 3,000,000m² of materials to Australian projects since 2003.

EQUITONE

Through-Colour Fibre Cement Panel

Description

EQUITONE is a through-coloured fibre cement cladding designed by and for architects. Every EQUITONE panel is unique, showing the raw, untreated texture of the fibre cement base material. Fibre cement is a cement composite material that consists of cement, cellulose and mineral materials, reinforced by a visible matrix. Nothing else. Visible and invisible fixing methods include riveting, screwing and bonding on metal or wood supporting frames. No matter what design options you explore, the through-coloured nature of EQUITONE assures crisp, monolithic details in a wide range of unique finishes.

Product Benefits



THROUGH-COLOUR MATERIAL

EQUITONE through-colour fibre cement cladding offers elegant shades of natural colour. Every EQUITONE panel is unique, showing the raw, untreated texture of the fibre cement base material.



NON-COMBUSTIBLE

EQUITONE through-colour fibre cement cladding is a non-combustible facade material that can be used internally or externally wherever a non-combustible material is required.



EASY TO CUT & INSTALL

EQUITONE through-colour fibre cement cladding is easily cut to size and installed onsite minimising lengthy lead times between site measure, production and delivery of pre-finished panels.



LOCAL STOCK AVAILABLE

EQUITONE through-colour fibre cement cladding is readily available with over 10 colours in stock Australia wide. Please contact us to confirm the stock range and current available sheet sizes.



REPELS WATER

EQUITONE cladding receives a hydrophobation process which prevents moisture ingress into the core of the panel. This allows the completely raw panel to be exposed to the elements without any treatment.



MAINTENANCE FREE

EQUITONE through-colour fibre cement cladding is a truly maintenance free material with no re-sealing, painting or ongoing maintenance ever required during install or anytime thereafter.



HIGH DURABILITY

EQUITONE through-colour fibre cement cladding is an exceptionally durable panel. Even in the most demanding applications EQUITONE has a life expectancy exceeding 50 years.



VENTILATED SYSTEM

EQUITONE cladding is installed on a ventilated sub-construction system allowing for the building envelope to breathe which increases thermal and energy efficiency and promotes healthier buildings.

Product Range




EQUITONE Tectiva Finish




EQUITONE Natura Finish



EQUITONE Lines Finish



EQUITONE Lunara Finish



EQUITONE Pictura Finish

Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
EQUITONE Tectiva TE90, TE10, TE20	2500, 3050 x 1220mm	Stock	1 Sheet
EQUITONE Tectiva TE00, TE15, TE60	2500, 3050 x 1220mm	2-3 Weeks	1 Sheet
EQUITONE Tectiva TE30, TE40	2500, 3050 x 1220mm	14-16 Weeks	40 Sheets
EQUITONE Natura N154, N161, N991, N593, N412, N252, N250, N251, N074	2500, 3100 x 1250mm	2-3 Weeks	1 Sheet
EQUITONE Natura All Other Colours	2500, 3100 x 1250mm	14-16 Weeks	30 Sheets
EQUITONE Lines	2500, 3050 x 1220mm	2-3 Weeks	1 Sheet
EQUITONE Lunara	2500, 3050 x 1220mm	14-16 Weeks	30 Sheets
EQUITONE Pictura	2500, 3100 x 1250mm	14-16 Weeks	30 Sheets

Accessories

CODE	DESCRIPTION	LEAD TIME	MOQ
EQR***	EQUITONE Uni Rivet (Insert Colour), 250 Pack	Stock	1 Pack
EQUFPS	EQUITONE Uni Rivet Fixed Point Sleeve, 100 Pack	Stock	1 Pack
EQU***	EQUITONE Uni Timber Screw (Insert Colour), 250 Pack	3-4 Weeks	1 Pack
EQUSS	EQUITONE Uni Screw Sleeve, 250 Pack	3-4 Weeks	1 Pack
EQLUK10	LUKO 1 Litre Edge Sealer (Natura Only)	Stock	1 Can

System Components



AS 1530.1 Sarking




Breathable Barriers



Steel Facade System



Aluminium Framing



Specialist Tools

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.



EQUITONE

Colour Chart

(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.


Equitone Tectiva




Equitone Natura






Equitone Natura (Special Colours)



Equitone Lines





Equitone Lunara



EQUITONE

Colour Chart

Equitone Pictura



NATURION

Non-combustible Natural Finish Panel

Description

NATURION non-combustible natural-finish panel is a revolutionary and innovative new facade material developed with architects and designers in mind. Due to Australia's strict fire compliance standards, it has become increasingly difficult to use natural timber cladding panels whilst meeting non-combustibility requirements. NATURION solves this problem by providing the rich natural warmth of timber, stone and rusted metal panels while at the same time being; light-weight, highly durable, prefinished and most importantly Deemed-to-Satisfy non-combustible in accordance with NCC 2022, Clause C2D10(6)(d).

Product Benefits



NON-COMBUSTIBLE

Unlike almost all other timber looking panels such as plywood and high pressure laminate, NATURION natural-finish panels are Deemed-to-Satisfy non-combustible in accordance with NCC 2022, Clause C2D10(6)(d).



AUTHENTIC AESTHETICS

Available in an inspiring range of natural timber, stone and rusted metal finishes, NATURION offers beautiful natural aesthetics without compromising on durability, low maintenance or fire compliance.



EASY TO CUT & INSTALL

NATURION non-combustible natural-finish panel is easily cut to size and installed onsite minimising lengthy lead times between site measure, production and delivery of pre-finished panels.



HIGH DURABILITY

NATURION non-combustible natural-finish panel is a highly durable material offering exceptional impact, abrasion and graffiti resistance and making it ideal for both public and private sector projects.



ENVIRONMENTALLY FRIENDLY

Manufactured in Europe to strict environmental standards, NATURION has an A1+ classification for volatile substance emissions and is made of organic natural materials for long-term sustainability.



15 YEAR WARRANTY

With a factory applied impervious matt-finish, NATURION provides outstanding resistance to UV radiation, extreme temperatures, fungi, mould, staining etc and it is backed up with a 15yr warranty.



MAINTENANCE FREE

NATURION non-combustible natural-finish panel is a truly maintenance free material with no re-sealing, painting or ongoing maintenance ever required during install or anytime thereafter.



PROPRIETARY SYSTEM

NATURION non-combustible natural-finish panel is installed on a proprietary ventilated sub-frame facade system using either visible colour-matched fasteners or a concealed secret-fix system.

Product Range



NATURION Timber Decors



NATURION Material Decors



NATURION Stone Decors

Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
NATURION 8mm Timber Decors	2500, 3200 x 1200mm	14-16 Weeks	100m ²
NATURION 8mm Material Decor Boards	2500, 3200 x 1200mm	14-16 Weeks	100m ²
NATURION 8mm Stone Decor Boards	2500, 3200 x 1200mm	14-16 Weeks	100m ²

Accessories

CODE	DESCRIPTION	LEAD TIME	MOQ
NTLUK10	NATURION 1 Litre Edge Sealer (Apply to all cut edges)	Stock	1 Can

System Components



AS 1530.1 Sarking




Breathable Barriers



Steel Facade System



Coloured Fixings



Specialist Tools

INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.



NATURION

Colour Chart

Timber Decors



NTT127 Weathered Oak NTT507 Bleached Oak NTT461 Fijian Teak NTT102 Burmese Teak NTT191 Sherwood Oak NTT125 Vintage Oak NTT126 Smoked Oak NTT124 Burnt Oak

Material Decors



NTM211 Uluru Oxide NTM161 Pilbara Oxide NTM454 Streaky Oxide NTM020 Fortescue Oxide NTM426B Raw Tilt Panel NTM020B Smoky Oxide NTM031 Moonlight Stucco NTM 020B Smoky Oxide




NTM029 Smoky Stucco NTM020A Thunder Oxide NTM028 Thunder Stucco NTM318 Graphite Stucco NTM318A Carbon Stucco

Stone Decors



NTS007 Cool Travertine NTS006 Warm Travertine NTS004 Roman Travertine NTS019 Kalbarri Sandstone





We've Got It Covered



V1022



BLUECHIP

Metal Cladding



BLUECHIP

Natural Cladding



BLUECHIP

Timber Cladding



BLUECHIP

Decking Products



BLUECHIP

Insulation Products



BLUECHIP

Facade Systems

Blue Chip Group Pty Ltd

SYDNEY | MELBOURNE | BRISBANE | PERTH

P 1300 945 123

E sales@bluechipgroup.net.au

www.bluechipgroup.net.au

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.